

PRODUCT-DETAILS

GSC219

2-PC OUTER SLV CONN GRN I.D. 0.219



General Information

Extended Product Type	GSC219
Product ID	7TAI029060R0014
EAN	5414363114451
Catalog Description	2-PC OUTER SLV CONN GRN I.D. 0.219
Long Description	Two Piece Outer Sleeve Connector for Hexagonal Range, Length 1/4 Inch/6.4mm, Inner Diameter .219 Inches/5.56mm, Outer Diameter .250 Inches/6.35mm, Color Green, Soft Bronze, Tin Plated

Ordering

EAN	5414363114451
-----	---------------

Dimensions

Product Net Length	0, mm
--------------------	-------

Container Information

Package Level 1 Units	1000 piece
Package Level 1 Width	3 in 76 mm
Package Level 1 Height	3 in 76 mm

Package Level 1 Depth / Length	3.5 in 89 mm
Package Level 2 Units	10000 piece
Package Level 2 Width	6.9 in 175 mm
Package Level 2 Height	4.5 in 114 mm
Package Level 2 Depth / Length	16.2 in 411 mm

Additional Information

Brand / Label	Sta-Kon
Color	Green
Effective Date	19680516
Material	Soft Bronze
Number of Batteries	0
Product Name	ELECTRICAL COUPLING
Product Type	Two-Piece Outer Sleeve Connector
Special Functions	Shielded cable grounding system made of 2 cylindrical sleeves (inner sleeve + outer sleeve), for solderless crimp connection. Outer sleeve for the Hexagonal Range (the outer sleeve is crimped with a hand tool and the result is a hexagonal-shaped crimp), for grounding shielded and coaxial cables. The sleeves are color coded according to their size. Millions of installations in communications, aerospace, electronic, telephone, radio and TV applications.
UPC	786210813875

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	GSC219
Instructions and Manuals	GSC219
RoHS Information	9AKK107992A4006

Classifications

ETIM 6	EC002650 - Connection for screened wires
ETIM 7	EC002650 - Connection for screened wires
UNSPSC	39121432
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4603 >> Electrical terminals

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

