

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

0690393542

Status:

Active

Overview:

Application Tooling

Description:

Conductor Anvil

Documents:

RoHS Certificate of Compliance (PDF)

General

Product Family

Series

Function

Geographic Area

Level of Automation

More Detailed Tech Information

Overview

Product Name

Tool Type

UPC

Warranty Disclaimer

Application Tooling

207126

Crimp

Global

Automatic, Semi-Automatic

applicationtooling@molex.com

Application Tooling

Mini-Mac

Applicator

800755676860

CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.

Physical

Net Weight

2.550/g

Material Info

Reference - Drawing Numbers

Application Tooling Documents

ATS-STANDARD-PARTS-0



Series image - Reference only

EU ELV

Not Relevant

EU RoHS

Compliant

REACH SVHC

Not Contained Per - ECHA\_01\_2020 (16 January 2020)

Halogen-Free

Status

Not Relevant

For more information, please visit [Contact US](#)

China RoHS

Not Relevant

ELV

Not Relevant

RoHS Phthalates

Not Reviewed

Search Parts in this Series

207126 Series

Use With

690372098 Perishable Tool Kit

| Application Tooling Description                                                                                            | FAQ Product # |
|----------------------------------------------------------------------------------------------------------------------------|---------------|
| 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Reel | 2061101       |
| 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Bag  | 2061103       |
| 1.57mm Diameter, Standard .062" Pin and Socket Crimp                                                                       | 2061104       |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Terminal, Series<br>4529, Female, with<br>Tin (Sn) Plated<br>Phosphor Bronze<br>Contact, 18-24 AWG,<br>Reel<br>1.57mm Diameter, <u>2061118</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1561, Female, with<br>Tin (Sn) Plated Brass<br>Contact, Without<br>Locking Tabs,<br>18-24 AWG, Reel<br>Packaged<br>1.57mm Diameter, <u>2061131</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female, with<br>Tin (Sn) Plated Brass<br>Contact, 24-30 AWG,<br>Reel<br>1.57mm Diameter, <u>2061132</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female, with<br>Tin (Sn) Plated Brass<br>Contact, 24-30 AWG,<br>Bag<br>1.57mm Diameter, <u>2061141</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female, with<br>Tin (Sn) Plated<br>Brass Contact,<br>24-30 AWG, Without<br>Locking Tabs, Reel<br>Packaged<br>1.57mm Diameter, <u>2061143</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female, with<br>Tin (Sn) Plated Brass<br>Contact, 24-30 AWG,<br>Reel Packaged with<br>Interleaf Paper<br>1.57mm Diameter, <u>2062101</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1560, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 18-24 AWG,<br>Reel<br>1.57mm Diameter, <u>2062103</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1560, Male, with Tin<br>(Sn) Plated Brass |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | Contact, 18-24 AWG,<br>Bag<br>1.57mm Diameter, <u>2062131</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1854, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 24-30 AWG,<br>Reel<br>1.57mm Diameter, <u>2062132</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1854, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 24-30 AWG,<br>Bag<br>1.57mm Diameter, <u>2065100</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Female,<br>with 0.38µm Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Reel<br>1.57mm Diameter, <u>2065101</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Female,<br>with 0.76µm Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Reel<br>1.57mm Diameter, <u>2065102</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Female,<br>with 0.76µm Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Bag<br>1.57mm Diameter, <u>2065103</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Female,<br>with 0.38µm Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Bag<br>1.57mm Diameter, <u>2065104</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1561, Female,<br>with 1.27µm Gold<br>Max. Insulation<br>Diameter, Loose in<br>Bag Packaged<br>1.57mm Diameter, <u>2065105</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1561, Female, with<br>1.27µm Gold Max. |  |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|

|  |                                                                                                                                                                                                    |  |
|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | Insulation Diameter,<br>Reel                                                                                                                                                                       |  |
|  | 1.57mm Diameter, <a href="#">2065108</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Female,<br>with Selective Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Reel                 |  |
|  | 1.57mm Diameter, <a href="#">2065109</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Female,<br>with Selective Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Bag                  |  |
|  | 1.57mm Diameter, <a href="#">2065130</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female,<br>with 0.38µm Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Reel    |  |
|  | 1.57mm Diameter, <a href="#">2065135</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female,<br>with 0.38µm Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Bag     |  |
|  | 1.57mm Diameter, <a href="#">2065138</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female,<br>with 0.76µm Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Reel    |  |
|  | 1.57mm Diameter, <a href="#">2065139</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female,<br>with 0.76µm Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Bag     |  |
|  | 1.57mm Diameter, <a href="#">2065147</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Reel |  |
|  | 1.57mm Diameter, <a href="#">2065148</a><br>Standard .062" Pin                                                                                                                                     |  |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | and Socket Crimp<br>Terminal, Series<br>1855, Female, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Bag<br>1.57mm Diameter, <u>2066100</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1560, Male, with<br>Gold (Au) Plated<br>Brass Contact, 18-24<br>AWG, Reel<br>1.57mm Diameter, <u>2066101</u><br>Standard .062"<br>Pin and Socket<br>Crimp Terminal,<br>Series 1560, Male,<br>with .76µm Selective<br>Gold (Au) Plated<br>Brass Contact,<br>18-24 AWG, Reel<br>Packaged<br>1.57mm Diameter, <u>2066102</u><br>Standard .062"<br>Pin and Socket<br>Crimp Terminal,<br>Series 1560, Male,<br>with .76µm Selective<br>Gold (Au) Plated<br>Brass Contact, 18-24<br>AWG, Bag Packaged<br>1.57mm Diameter, <u>2066103</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1560, Male, with<br>Gold (Au) Plated<br>Brass Contact, 18-24<br>AWG, Bag<br>1.57mm Diameter, <u>2066104</u><br>Standard .062"<br>Pin and Socket<br>Crimp Terminal,<br>Series 1560, Male,<br>with Selective<br>1.27µm Select Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Bag Packaged<br>062 Male Term <u>2066105</u><br>Chain Brs 50Au<br>18-24<br>1.57mm Diameter, <u>2066118</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1560, Male, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, Tin/Lead<br>Plated Crimp Area,<br>18-24 AWG, Reel |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|  |                                                                                                                                                                              |                         |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|  | 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Selective Gold (Au) Plated Brass Contact, Tin/Lead Plated Crimp Area, 18-24 AWG, Bag  | <a href="#">2066119</a> |
|  | 1.57mm Diameter, Standard .062" Pin and Socket PC Tail Terminal, Series 1778, Male, with Selective Gold (Au) Plated Brass Contact, Bag                                       | <a href="#">2066122</a> |
|  | .062 Male Term PC Tail 30 au                                                                                                                                                 | <a href="#">2066125</a> |
|  | 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Gold (Au) Plated Brass Contact, 24-30 AWG, Reel                                       | <a href="#">2066130</a> |
|  | 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Gold (Au) Plated Brass Contact, 24-30 AWG, Bag                                        | <a href="#">2066135</a> |
|  | 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold (Au) Plated Brass Contact, 24-30 AWG, Reel                             | <a href="#">2066138</a> |
|  | 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold (Au) Plated Brass Contact, 24-30 AWG, Bag                              | <a href="#">2066139</a> |
|  | 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold (Au) Plated Brass Contact, Tin (Sn) Plated Crimp Area, 24-30 AWG, Reel | <a href="#">2066143</a> |

|  |                                                                                                                                                                             |                |
|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
|  | 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold (Au) Plated Brass Contact, Tin (Sn) Plated Crimp Area, 24-30 AWG, Bag | <u>2066144</u> |
|  | 1.57mm Diameter, Standard .062" Pin and Socket PC Tail Terminal, Series 1779, Female, with 2.54µm Tin (Sn) Plated Brass Contact, Bag Packaged                               | <u>2067103</u> |
|  | 1.57mm Diameter, Standard .062" Pin and Socket PC Tail Terminal, Series 1779, Female, with .76µm Selective Gold (Au) Plated Brass Contact, Bag Packaged                     | <u>2067104</u> |
|  | 1.57mm Diameter, Standard .062" Pin and Socket PC Tail Terminal, Series 1778, Male, with Tin (Sn) Plated Brass Contact, Bag                                                 | <u>2068103</u> |
|  | 062 Male Term Tin PCTail Chn                                                                                                                                                | <u>2068104</u> |
|  | Vertical Solder Relief (VSR) Direct-Solder Crimp Terminal, Series 4706, Male, Tin Terminal Progression                                                                      | <u>2072101</u> |
|  | MLX Female Crimp Terminal 42024, 14-20 AWG, Reel, Brass, Tin (Sn) Plating                                                                                                   | <u>2081001</u> |
|  | MLX Crimp Terminal 42024, 14-20 AWG, Bag Tin (Sn)                                                                                                                           | <u>2081002</u> |
|  | MLX Female Crimp Terminal 42024, 14-20 AWG, Reel, Phosphor Bronze, Tin (Sn) Plating                                                                                         | <u>2081003</u> |
|  | MLX Crimp Terminal 42024, 14-20 AWG, Bag Tin (Sn)                                                                                                                           | <u>2081004</u> |
|  | Claspcon Crimp Terminal Socket, Tin (Sn) Plated Brass Contact, 16-24 AWG, Reel                                                                                              | <u>2081101</u> |

|                                                                                             |                |
|---------------------------------------------------------------------------------------------|----------------|
| Claspcon Crimp Terminal Socket, Tin (Sn) Plated Brass Contact, 16-24 AWG, Bag               | <u>2081102</u> |
| Claspcon Crimp Terminal Socket, Tin (Sn) Plated Brass Contact, 24-30 AWG, Reel              | <u>2081103</u> |
| Claspcon Crimp Terminal Socket, Tin (Sn) Plated Brass Contact, 24-30 AWG, Bag               | <u>2081104</u> |
| Disk Drive Power Connection System, Female Crimp Terminal, Reel, Phosphor Bronze, AWG 14-20 | <u>2081201</u> |
| .084" UNPLATED TERMINAL 8980V01                                                             | <u>2081211</u> |
| .084" PC TAIL TERM - 999 8980R11                                                            | <u>2081212</u> |
| .084" PC TAIL TERM - 999 8980R13                                                            | <u>2081214</u> |
| 2.096MM DIA TERMINAL                                                                        | <u>2081266</u> |
| 2.096MM DIA TERMINAL                                                                        | <u>2081268</u> |
| 2.13mm DIA PC TAIL TERM PhBr                                                                | <u>2081309</u> |
| 2.54SnLF 2.096MM DIA TERMINAL PhBr                                                          | <u>2081363</u> |
| 2.54SnLF 2.096MM DIA TERMINAL PhBr                                                          | <u>2081365</u> |
| 2.54SnLF MLX Male Crimp Terminal 42023, 14-20 AWG, Reel, Brass, Tin (Sn) Plating            | <u>2082003</u> |
| MLX Crimp Terminal 42023, 14-20 AWG, Bag Tin (Sn)                                           | <u>2082004</u> |
| MLX Male Crimp Terminal 42023, 14-20 AWG, Reel, Phosphor Bronze, Tin (Sn) Plating           | <u>2082005</u> |
| MLX Crimp Terminal 42023, 14-20 AWG, Bag Tin (Sn)                                           | <u>2082006</u> |
| MLX Crimp Terminal 42023, 14-20 AWG, Bag Selective Gold (Au)                                | <u>2082008</u> |
| 42023-2A0, Ter Male 2.13 Chn Unplate                                                        | <u>2082011</u> |
| Claspcon Crimp Terminal Socket, Tin (Sn) Plated Brass                                       | <u>2085101</u> |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |  |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | Contact, 16-24 AWG,<br>Reel<br>2.36mm Diameter, <a href="#">2091102</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1189, Female, with<br>Tin (Sn) Plated Brass<br>Contact, 14-20 AWG,<br>Reel<br>2.36mm Diameter, <a href="#">2091104</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1189, Female, with<br>Tin (Sn) Plated Brass<br>Contact, 14-20 AWG,<br>Bag<br>093FemaleTerm <a href="#">2091115</a><br>Chain/IntLeaf Brs<br>Tin18-22<br>2.36mm Diameter, <a href="#">2091117</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1381, Female, with<br>Tin (Sn) Plated Brass<br>Contact, 18-22 AWG,<br>Reel<br>2.36mm Diameter <a href="#">2091118</a><br>Standard .093"<br>Crimp Terminal,<br>Dimpled Female,<br>18-22 AWG, Bag<br>2.36mm Diameter, <a href="#">2091119</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1381, Female, with<br>Tin (Sn) Plated Brass<br>Contact, 18-22 AWG,<br>Bag<br>2.36mm Diameter, <a href="#">2091122</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>2273, Female, with<br>Tin (Sn) Plated<br>Contact, Low<br>Engagement Force,<br>18-22 AWG, Reel<br>2.36mm Diameter, <a href="#">2091123</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>2273, Female, with<br>Tin (Sn) Plated<br>Contact, Low<br>Engagement Force,<br>18-22 AWG, Bag<br>2.36mm Diameter, <a href="#">2091134</a><br>Standard .093" Pin<br>and Socket PC Tail<br>Terminal, Series<br>1377, Female, with |  |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|

|                                                                                                                                                                          |                |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| Tin (Sn) Plated Contact, Bag                                                                                                                                             |                |
| Crimp Terminal                                                                                                                                                           | <u>2091153</u> |
| 41483, 14-18 AWG, Reel                                                                                                                                                   |                |
| 2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 41483, Female, with Tin (Sn) Plated Brass Contact, 14-18 AWG with Large Insulation Diameter, Chain | <u>2091155</u> |
| 2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 4550, Female, with Tin (Sn) Plated Phosphor Bronze Contact, 14-20 AWG, Reel                        | <u>2091205</u> |
| 2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 4550, Female, with Tin (Sn) Plated Phosphor Bronze Contact, 14-20 AWG, Bag                         | <u>2091206</u> |
| 2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 42477, Female, with Tin (Sn) Plated Contact, High Current/Low Engagement Force, 14-18 AWG, Reel    | <u>2091615</u> |
| 2.36mm Diameter Socket, Without Insulation Crimp for 16-20 AWG Wire                                                                                                      | <u>2091651</u> |
| 2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Tin (Sn) Plated Brass Contact, 14-20 AWG, Reel                                    | <u>2092101</u> |
| 2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Tin (Sn) Plated Brass Contact, 14-20 AWG, Bag                                     | <u>2092103</u> |
| Vertical Solder Relief (VSR) Direct-Solder Crimp Terminal,                                                                                                               | <u>2092105</u> |

Series 4706, Male,  
Tin (Sn) Plated Brass  
Contact, 16-18 AWG,  
11.20mm Terminal  
Progression  
2.36mm Diameter, [2092116](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1380, Male, with Tin  
(Sn) Plated Brass  
Contact, 18-22 AWG,  
Reel  
2.36mm Diameter, [2092117](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1380, Male, with Tin  
(Sn) Plated Brass  
Contact, without  
Dents, 18-22 AWG,  
Reel  
2.36mm Diameter, [2092118](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1380, Male, with Tin  
(Sn) Plated Brass  
Contact, 18-22 AWG,  
Bag  
093 MaleTermChain/ [2092127](#)  
IntLeaf Brs Tin18-22  
2.36mm Diameter, [2092133](#)  
Standard .093" Pin  
and Socket PC Tail  
Terminal, Series  
1376, Male, with Tin/  
Lead (Sn/Pb) Plated  
Contact, With Detent,  
Bag Packaged  
2.36mm Diameter, [2092134](#)  
Standard .093" Pin  
and Socket PC Tail  
Terminal, Series  
1376, Male, with Tin  
(Sn) Plated Contact,  
Without Detent, Bag  
Packaged  
2.36mm Diameter, [2092166](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
4549, Male, with  
Tin (Sn) Plated  
Phosphor Bronze  
Contact, 14-20 AWG,  
Reel Packaged  
2.36mm Diameter, [2092167](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
4549, Male, with  
Tin (Sn) Plated  
Phosphor Bronze

Contact, 14-20 AWG,  
Bag Packaged  
2.36mm Diameter, [2092170](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1190, Male, with Tin  
(Sn) Plated Brass  
Contact, 14-18 AWG,  
Large Insulation  
Crimp, Reel  
2.36mm Diameter, [2092171](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1190, Male, with Tin  
(Sn) Plated Brass  
Contact, 14-18 AWG,  
Large Insulation  
Crimp, Bag  
2.36mm Diameter, [2092611](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
42478, Male, with Tin  
(Sn) Plated Contact,  
High Current/Low  
Engagement Force,  
14-18 AWG, Reel  
2.36mm Diameter, [2095100](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1189, Female, with  
Gold (Au) Plated  
Brass Contact, 14-20  
AWG, Reel  
2.36mm Diameter, [2095101](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1190, Male, with Tin  
(Sn) Plated Brass  
Contact, 14-20 AWG,  
Chain  
2.36mm Diameter, [2095102](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1189, Female, with  
Selective Gold  
(Au) Plated Brass  
Contact, 14-20 AWG,  
Reel  
2.36mm Diameter, [2095106](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1189, Female, with  
Gold (Au) Plated  
Brass Contact, 14-20  
AWG, Bag  
2.36mm Diameter, [2095111](#)  
Standard .093" Pin  
and Socket Crimp

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Terminal, Series<br>1189, Female, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 14-20 AWG,<br>Bag<br>2.36mm Diameter, <a href="#">2095130</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1381, Female, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 18-22 AWG,<br>Reel<br>2.36mm Diameter, <a href="#">2095132</a><br>Standard .093" Pin<br>and Socket PC Tail<br>Terminal, Series<br>1377, Female, with<br>Gold (Au) Plated<br>Contact, Bag<br>2.36mm Diameter, <a href="#">2095133</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1381, Female, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 18-22 AWG,<br>Bag<br>2.36mm Diameter, <a href="#">2095142</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1381, Female, with<br>Gold (Au) Plated<br>Brass Contact, 18-22<br>AWG, Bag<br>2.36mm Diameter, <a href="#">2095143</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1381, Female, with<br>Gold (Au) Plated<br>Brass Contact, 18-22<br>AWG, Reel<br>2.36mm Diameter, <a href="#">2095169</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>4550, Female, with<br>Gold (Au) Plated<br>Phosphor Bronze<br>Contact, 14-20 AWG,<br>Reel<br>2.36mm Diameter, <a href="#">2095170</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>4550, Female, with<br>Gold (Au) Plated<br>Phosphor Bronze<br>Contact, 14-20 AWG,<br>Bag |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|  |                                                                                                                                                                                                  |
|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | 2.36mm Diameter, <a href="#">2096100</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1190, Male, with<br>Gold (Au) Plated<br>Brass Contact, 14-20<br>AWG, Reel              |
|  | 2.36mm Diameter, <a href="#">2096101</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1190, Male, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 14-20 AWG,<br>Reel |
|  | 2.36mm Diameter, <a href="#">2096102</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1189, Female, with<br>Tin (Sn) Plated Brass<br>Contact, 14-20 AWG,<br>Reel             |
|  | 2.36mm Diameter, <a href="#">2096106</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1190, Male, with<br>Gold (Au) Plated<br>Brass Contact, 14-20<br>AWG, Bag               |
|  | 2.36mm Diameter, <a href="#">2096110</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1190, Male, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 14-20 AWG,<br>Bag  |
|  | 2.36mm Diameter, <a href="#">2096122</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1380, Male, with<br>Gold (Au) Plated<br>Brass Contact, 18-22<br>AWG, Reel              |
|  | 2.36mm Diameter, <a href="#">2096123</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1380, Male, with<br>Gold (Au) Plated<br>Brass Contact, 18-22<br>AWG, Bag               |
|  | 2.36mm Diameter, <a href="#">2096125</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1380, Male, with<br>Selective Gold<br>(Au) Plated Brass                                |

Contact, 18-22 AWG, Reel  
2.36mm Diameter, [2096126](#)  
Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Selective Gold (Au) Plated Brass Contact, 18-22 AWG, Bag  
2.36mm Diameter, [2096132](#)  
Standard .093" Pin and Socket PC Tail Terminal, Series 1376, Male, with Gold (Au) Plated Contact, Without Detent, Bag  
Packaged  
2.36mm Diameter, [2098103](#)  
Standard .093" Pin and Socket Crimp Grounding Terminal, Series 1973, Male, with Tin (Sn) Plated Brass Contact, 18-22 AWG, Reel  
2.36mm Diameter, [2098104](#)  
Standard .093" Pin and Socket Crimp Grounding Terminal, Series 1973, Male, with Tin (Sn) Plated Brass Contact, 18-22 AWG, Bag  
2.36mm Diameter, [2098108](#)  
Standard .093" Pin and Socket Crimp Grounding Terminal, Series 1973, Male, with Tin (Sn) Plated Brass Contact, 14-18 AWG, Reel  
2.36mm Diameter, [2098109](#)  
Standard .093" Pin and Socket Crimp Grounding Terminal, Series 1973, Male, with Tin (Sn) Plated Brass Contact, 14-18 AWG, Bag  
Mini-Fit Jr. [3044052](#)  
Receptacle Housing, Single Row, 5 Circuits, UL 94V-2, Natural  
1.57mm Diameter [3061011](#)  
Standard .062" Pin and Socket Receptacle Housing, 1 Circuits, Natural  
1.57mm Diameter [3061022](#)  
Standard .062" Pin and Socket

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Receptacle Housing,<br>2 Circuits, with Pre-<br>bent Mounting Ears,<br>Natural<br>1.57mm Diameter <u>3061023</u><br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>2 Circuits, without<br>Mounting Ears,<br>Natural<br>1.57mm Diameter <u>3061031</u><br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>3 Circuits, with<br>Standard Mounting<br>Ears<br>1.57mm Diameter <u>3061032</u><br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>3 Circuits, without<br>Mounting Ears,<br>Natural<br>1.57mm Diameter <u>3061038</u><br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>3 Circuits, with Pre-<br>bent Mounting Ears,<br>Natural<br>1.57mm Diameter <u>3061041</u><br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>4 Circuits, with<br>Standard Mounting<br>Ears<br>1.57mm Diameter <u>3061042</u><br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>4 Circuits, without<br>Mounting Ears,<br>Natural<br>1.57mm Diameter <u>3061044</u><br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>Dual Row, without<br>Mounting Ears, PA<br>Polyamide Nylon 6/6,<br>UL 94V-2, 4 Circuits,<br>Natural<br>1.57mm Diameter <u>3061062</u><br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>6 Circuits, without<br>Mounting Ears,<br>Natural<br>1.57mm Diameter <u>3061092</u><br>Standard .062"<br>Pin and Socket |
|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |  |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | Receptacle Housing,<br>9 Circuits, without<br>Mounting Ears,<br>Natural<br>1.57mm Diameter <u>3061121</u><br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>12 Circuits, with<br>Standard Mounting<br>Ears, Natural<br>1.57mm Diameter <u>3061122</u><br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>12 Circuits, without<br>Mounting Ears,<br>Natural<br>1.57mm Diameter <u>3062011</u><br>Standard .062" Pin<br>and Socket Plug<br>Housing, 1 Circuits,<br>Natural<br>1.57mm Diameter <u>3062023</u><br>Standard .062" Pin<br>and Socket Plug<br>Housing, 2 Circuits,<br>without Mounting<br>Ears, Natural<br>1.57mm Diameter <u>3062024</u><br>Standard .062"<br>Pin and Socket<br>Plug Housing, 2<br>Circuits, with Pre-<br>bent Mounting Ears,<br>Natural<br>1.57mm Diameter <u>3062031</u><br>Standard .062" Pin<br>and Socket Plug<br>Housing, 3 Circuits,<br>with Standard<br>Mounting Ears,<br>Natural<br>1.57mm Diameter <u>3062032</u><br>Standard .062" Pin<br>and Socket Plug<br>Housing, 3 Circuits,<br>without Mounting<br>Ears, Natural<br>1.57mm Diameter <u>3062033</u><br>Standard .062"<br>Pin and Socket<br>Plug Housing, 3<br>Circuits, with Pre-<br>bent Mounting Ears,<br>Natural<br>1.57mm Diameter <u>3062041</u><br>Standard .062" Pin<br>and Socket Plug<br>Housing, 4 Circuits,<br>with Standard<br>Mounting Ears<br>1.57mm Diameter <u>3062042</u><br>Standard .062" Pin<br>and Socket Plug |  |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  |
|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | Housing, 4 Circuits,<br>without Mounting<br>Ears, Natural<br>1.57mm Diameter <u>3062044</u><br>Standard .062" Pin<br>and Socket Plug<br>Housing, Dual Row,<br>without Mounting<br>Ears, PA Polyamide<br>Nylon 6/6, UL 94V-2,<br>4 Circuits, Natural<br>1.57mm Diameter <u>3062061</u><br>Standard .062" Pin<br>and Socket Plug<br>Housing, 6 Circuits,<br>without Mounting<br>Ears, Natural<br>1.57mm Diameter <u>3062092</u><br>Standard .062" Pin<br>and Socket Plug<br>Housing, 9 Circuits,<br>without Mounting<br>Ears, Natural<br>1.57mm Diameter <u>3062121</u><br>Standard .062"<br>Pin and Socket<br>Plug Housing, 12<br>Circuits, with Pre-<br>bent Mounting Ears,<br>Natural<br>1.57mm Diameter <u>3062122</u><br>Standard .062" Pin<br>and Socket Plug<br>Housing, 12 Circuits,<br>without Mounting<br>Ears, Natural<br>1.57mm Diameter <u>3066023</u><br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>2 Circuits, without<br>Mounting Ears, Black<br>1.57mm Diameter <u>3066062</u><br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>6 Circuits, without<br>Mounting Ears, Black<br>1.57mm Diameter <u>3067023</u><br>Standard .062" Pin<br>and Socket Plug<br>Housing, Black, 2<br>Circuits, without<br>Mounting Ears, Black<br>1.57mm Diameter <u>3067044</u><br>Standard .062" Pin<br>and Socket Plug<br>Housing, Dual Row,<br>without Mounting<br>Ears, PA Polyamide<br>Nylon 6/6, UL 94V-2,<br>4 Circuits, Black<br>1.57mm Diameter <u>3067061</u><br>Standard .062" Pin<br>and Socket Plug |  |
|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | Housing, 6 Circuits,<br>without Mounting<br>Ears, Black<br>2.36mm Diameter <u>3091011</u><br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>1 Circuit, Friction<br>Lock, Natural<br>2.36mm Diameter <u>3091022</u><br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>2 Circuits, without<br>Mounting Ears, with<br>Ramps, Natural<br>2.36mm Diameter <u>3091027</u><br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>2 Circuits, with Pre-<br>bent Mounting Ears,<br>with Ramps, Natural<br>2.36mm Diameter <u>3091030</u><br>Standard Receptacle<br>Housing, 3 Circuit,<br>Natural<br>2.36mm Diameter <u>3091031</u><br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>3 Circuits, Single<br>Row, Natural<br>2.36mm Diameter <u>3091032</u><br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>3 Circuits, Single<br>Row, Natural<br>2.36mm Diameter <u>3091033</u><br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>3 Circuits, Single<br>Row, Free-Hanging,<br>without Passive Lock<br>Ramps, Natural<br>2.36mm Diameter <u>3091041</u><br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>4 Circuits, Single<br>Row, Natural<br>2.36mm Diameter <u>3091042</u><br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>4 Circuits, Single<br>Row, Natural<br>2.36mm Diameter <u>3091049</u><br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>4 Circuits, Dual Row, |  |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|

|                                |                |
|--------------------------------|----------------|
| without Mounting Ears, Natural |                |
| 2.36mm Diameter                | <u>3091061</u> |
| Standard .093"                 |                |
| Pin and Socket                 |                |
| Receptacle Housing,            |                |
| 6 Circuits, Dual Row,          |                |
| Natural                        |                |
| 2.36mm Diameter                | <u>3091062</u> |
| Standard .093"                 |                |
| Pin and Socket                 |                |
| Receptacle Housing,            |                |
| 6 Circuits, Dual Row,          |                |
| Natural                        |                |
| 2.36mm Diameter                | <u>3091063</u> |
| Standard .093"                 |                |
| Pin and Socket                 |                |
| Receptacle Housing,            |                |
| 6 Circuits, Dual Row,          |                |
| without Panel Mount            |                |
| Ears, without Friction         |                |
| Lock Ramp                      |                |
| 2.36mm Diameter                | <u>3091064</u> |
| Standard .093"                 |                |
| Pin and Socket                 |                |
| Receptacle Housing,            |                |
| 6 Circuits, Dual Row,          |                |
| Natural                        |                |
| 2.36mm Diameter                | <u>3091081</u> |
| Standard .093"                 |                |
| Pin and Socket                 |                |
| Receptacle Housing,            |                |
| 3 Circuits, Single             |                |
| Row, Natural                   |                |
| 2.36mm Diameter                | <u>3091091</u> |
| Standard .093"                 |                |
| Pin and Socket                 |                |
| Receptacle                     |                |
| Housings, 9 Circuits,          |                |
| 3 Rows, Natural                |                |
| 2.36mm Diameter                | <u>3091092</u> |
| Standard .093"                 |                |
| Pin and Socket                 |                |
| Receptacle                     |                |
| Housings, 9 Circuits,          |                |
| 3 Rows, with Panel             |                |
| Mount Ears, without            |                |
| Passive Lock Ramp              |                |
| 2.36mm Diameter                | <u>3091093</u> |
| Standard .093"                 |                |
| Pin and Socket                 |                |
| Receptacle                     |                |
| Housings, 9 Circuits,          |                |
| 3 Rows, without                |                |
| Panel Mount Ears,              |                |
| without Passive Lock           |                |
| Ramp                           |                |
| 2.36mm Diameter                | <u>3091094</u> |
| Standard .093"                 |                |
| Pin and Socket                 |                |
| Receptacle                     |                |
| Housings, 9 Circuits,          |                |
| 3 Rows, Natural                |                |
| 2.36mm Diameter                | <u>3091121</u> |
| Standard .093"                 |                |

|                                                                                                                                                             |                |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| Pin and Socket<br>Receptacle Housing,<br>12 Circuits, 3 Rows,<br>Panel Mountable,<br>without Passive<br>Locking Ramps<br>2.36mm Diameter<br>Standard .093"  | <u>3091125</u> |
| Pin and Socket<br>Receptacle Housing,<br>12 Circuits, 3 Rows,<br>Natural<br>2.36mm Diameter<br>Standard .093"                                               | <u>3091126</u> |
| Pin and Socket<br>Receptacle Housing,<br>12 Circuits, 3 Rows,<br>Natural<br>2.36mm Diameter<br>Standard .093"                                               | <u>3091151</u> |
| Pin and Socket<br>Receptacle Housing,<br>15 Circuits, 3 Rows,<br>with Pre-Bent<br>Mounting Ears,<br>without Lock Ramps<br>2.36mm Diameter<br>Standard .093" | <u>3091152</u> |
| Pin and Socket<br>Receptacle Housing,<br>15 Circuits, 3 Rows,<br>without Mounting<br>Ears, without Lock<br>Ramps<br>2.36mm Diameter<br>Standard .093"       | <u>3091153</u> |
| Pin and Socket<br>Receptacle Housing,<br>15 Circuits, 3 Rows,<br>with Pre-bent<br>Mounting Ears, with<br>Lock Ramps<br>2.36mm Diameter<br>Standard .093"    | <u>3091157</u> |
| Pin and Socket<br>Receptacle Housing,<br>15 Circuits, 3 Rows,<br>without Mounting<br>Ears, with Lock<br>Ramps<br>2.36mm Diameter<br>Standard .093"          | <u>3091161</u> |
| Pin and Socket<br>Receptacle Housing<br>without Mounting<br>Ears, Positive Lock,<br>2 Circuits<br>2.36mm Diameter<br>Standard .093"                         | <u>3092011</u> |
| Pin and Socket Plug<br>Housing, 1 Circuit,<br>Friction Lock, Natural<br>2.36mm Diameter<br>Standard .093"                                                   | <u>3092021</u> |
| Pin and Socket Plug                                                                                                                                         |                |

|  |                                                                        |                |
|--|------------------------------------------------------------------------|----------------|
|  | Housing, 2 Circuits,<br>with Standard<br>Mounting Ears,<br>Natural     |                |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug               | <u>3092022</u> |
|  | Housing, 2 Circuits,<br>without Mounting<br>Ears, Natural              |                |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug               | <u>3092031</u> |
|  | Housing, 3 Circuits,<br>Single Row, Natural                            |                |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug               | <u>3092032</u> |
|  | Housing, 3 Circuits,<br>Single Row, Natural                            |                |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug               | <u>3092041</u> |
|  | Housing, 4 Circuits,<br>Single Row                                     |                |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug               | <u>3092042</u> |
|  | Housing, 4 Circuits,<br>Single Row                                     |                |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug               | <u>3092049</u> |
|  | Housing, 4 Circuits,<br>Dual Row, without<br>Mounting Ears,<br>Natural |                |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug               | <u>3092061</u> |
|  | Housing, 6 Circuits,<br>Dual Row                                       |                |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug               | <u>3092062</u> |
|  | Housing, 6 Circuits,<br>Dual Row                                       |                |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug               | <u>3092092</u> |
|  | Housings, 9 Circuits,<br>3 Rows                                        |                |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug               | <u>3092121</u> |
|  | Housing, 12 Circuits,<br>3 Rows                                        |                |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug               | <u>3092122</u> |
|  | Housing, 12 Circuits,<br>3 Rows                                        |                |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug               | <u>3092151</u> |

|  |                                                                                                                                                                                         |
|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Housing, 15 Circuits,<br>3 Rows, without<br>Mounting Ears, with<br>Pull Tabs, without<br>Lock Windows<br>2.36mm Diameter <u>3092159</u><br>Standard .093" Pin<br>and Socket Plug        |
|  | Housing, 15 Circuits,<br>3 Rows, with Pre-<br>Bent Mounting Ears,<br>without Pull Tabs,<br>with Lock Windows<br>2.36mm Diameter <u>3092161</u><br>Standard .093" Pin<br>and Socket Plug |
|  | Housing without<br>Mounting Ears,<br>Positive Lock, 2<br>Circuits<br>2.36mm Diameter <u>3096021</u><br>Standard .093"<br>Pin and Socket                                                 |
|  | Receptacle Housing,<br>2 Circuits, with Pre-<br>bent Mounting Ears,<br>with Ramps, Black<br>2.36mm Diameter <u>3097022</u><br>Standard .093" Pin<br>and Socket Plug                     |
|  | Housing, 2 Circuits,<br>without Mounting<br>Ears, Black<br>2.36mm Diameter <u>3097024</u><br>Standard .093" Pin<br>and Socket Plug                                                      |
|  | Housing, 2 Circuits,<br>without Mounting<br>Ears, Red<br>2.36mm Diameter <u>3097032</u><br>Standard .093" Pin<br>and Socket Plug                                                        |
|  | Housing, 3 Circuits,<br>Single Row, Black<br>3.18mm Diameter, <u>3121022</u><br>HCS125, Pin and<br>Socket Receptacle                                                                    |
|  | Housing, 2 Circuits,<br>Single Row, with and<br>without Panel Mount<br>Ears<br>3.18mm Diameter, <u>3121026</u><br>HCS125, Pin and<br>Socket Receptacle                                  |
|  | Housing, Single<br>Row, 2 Circuits,<br>Natural (Translucent)<br>3.18mm Diameter, <u>3121036</u><br>HCS125, Pin and<br>Socket Receptacle                                                 |
|  | Housing, Single<br>Row, without Panel<br>Mount Ears, 3<br>Circuits, Natural,<br>Nylon 94V-2                                                                                             |

|  |                                                                                                                                                                   |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | 3.18mm Diameter, <u>3121046</u><br>HCS125, Pin and<br>Socket Receptacle<br>Housing, Single<br>Row, 4 Circuits,<br>Natural (Translucent)                           |
|  | 3.18mm Diameter, <u>3122022</u><br>HCS125, Pin<br>and Socket Plug<br>Housing, 2 Circuits,<br>Single Row, with and<br>without Panel Mount<br>Ears                  |
|  | 3.18mm Diameter, <u>3122025</u><br>HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, with Panel<br>Mount Ears, 2<br>Circuits, Natural<br>(Translucent)    |
|  | 3.18mm Diameter, <u>3122026</u><br>HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, without Panel<br>Mount Ears, 2<br>Circuits, Natural<br>(Translucent) |
|  | 3.18mm Diameter, <u>3122035</u><br>HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, with Panel<br>Mount Ears, 3<br>Circuits, Natural,<br>Nylon 94V-2     |
|  | 3.18mm Diameter, <u>3122036</u><br>HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, without Panel<br>Mount Ears, 3<br>Circuits, Natural,<br>Nylon 94V-2  |
|  | 3.18mm Diameter, <u>3122045</u><br>HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, with Panel<br>Mount Ears, 4<br>Circuits, Natural<br>(Translucent)    |
|  | 3.18mm Diameter, <u>3122046</u><br>HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, without Panel<br>Mount Ears, 4<br>Circuits, Natural<br>(Translucent) |
|  | Flat Blade Crimp <u>5060117</u><br>Terminal, Series<br>1508, Female, With<br>Tin (Sn) Plated                                                                      |

Brass Contact, 14-18  
AWG (or 18 AWG  
Double Crimp), Reel  
Packaged  
Flat Blade Crimp 5060301  
Terminal, Series  
2176, Female, With  
Tin (Sn) Plated Brass  
Contact, With Detent,  
14-22 AWG (or 18  
AWG Double Crimp),  
Reel Packaged  
Crimp Terminal 5121004  
2482, 10-16 AWG,  
Reel  
Crimp Terminal 5121005  
2482, 10-16 AWG,  
Bag  
Crimp Terminal 5121006  
2482, 10-16 AWG,  
Reel  
Crimp Terminal 5121008  
2482, 10-16 AWG,  
Reel  
Crimp Terminal 5121104  
6482, 14-18 AWG,  
Reel  
Flat Blade Appliance 6021103  
Motor Switch Crimp  
Housing, 10 Circuits  
Flat Blade Appliance 6022030  
Water Valve Crimp  
Housing, 3 Circuit,  
Natural  
Flat Blade Appliance 6023042  
Defrost Timer Crimp  
Housing, 4 Circuit, 4  
Circuits  
Flat Blade Appliance 6023103  
Motor Switch Crimp  
Housing, 10 Circuit,  
10 Circuits  
Flat Blade Appliance 6023104  
Dryer Motor Crimp  
Housing, 10 Circuit  
KK Crimp Terminal, 8300109  
Series 1799, Female,  
with Tin (Sn) Plated  
Brass Contact, 18-24  
AWG, Chain on Reel  
KK 396 Crimp 8500008  
Terminal 8818, 18-22  
AWG, Reel, Brass  
Tin (Sn)  
KK 156 TERMINAL 8500015  
CRIMP 18-24 AWG  
TIN  
KK 396 Crimp 8500023  
Terminal 8818, 18-22  
AWG, Bag, Brass Tin  
(Sn)  
KK 156 TERM 8500024  
CRP 18-20 AWG  
TRIFURCON TIN

|                                                                                                               |                |
|---------------------------------------------------------------------------------------------------------------|----------------|
| KK 254 Cat Ear<br>Crimp Terminal<br>4809, 22-30 AWG,<br>Hot Tin Dip, 2.20mm<br>Insulation Crimp,<br>Reel      | <u>8500030</u> |
| KK 254 Cat Ear<br>Crimp Terminal<br>4809, 22-30 AWG,<br>Hot Tin Dip, Reel                                     | <u>8500031</u> |
| KK 254 Cat Ear<br>Crimp Terminal<br>4809, 22-30 AWG,<br>Hot Tin Dip, Bag                                      | <u>8500032</u> |
| KK 396 Crimp<br>Terminal 2478, 18-24<br>AWG, Reel, Brass<br>Tin (Sn)                                          | <u>8500105</u> |
| KK 396 Crimp<br>Terminal 2478, 18-24<br>AWG, Bag, Brass Tin<br>(Sn)                                           | <u>8500106</u> |
| KK 396 Crimp<br>Terminal 2578, 22-26<br>AWG, Reel, Brass,<br>2.540µm Tin (Sn)                                 | <u>8500107</u> |
| KK 396 Crimp<br>Terminal 2578, 22-26<br>AWG, Bag, Brass,<br>2.540µm Tin (Sn)                                  | <u>8500108</u> |
| KK Crimp Terminal,<br>Series 2477,<br>Humpback, with Tin<br>(Sn) Plated Brass<br>Contact, 18-24 AWG,<br>Reel  | <u>8500109</u> |
| KK Crimp Terminal,<br>Series 2477,<br>Humpback, with Tin<br>(Sn) Plated Brass<br>Contact, 18-24 AWG,<br>Loose | <u>8500110</u> |
| KK 396 Crimp<br>Terminal 2578, 22-26<br>AWG, Reel, Brass,<br>7.6µm Tin (Sn)                                   | <u>8500111</u> |
| KK 156 TERMINAL<br>CRIMP 22-26 AWG<br>TIN                                                                     | <u>8500112</u> |
| KK 254 Crimp<br>Terminal, 22-30<br>AWG, Hot Tin (Sn)<br>Dip Plating                                           | <u>8500113</u> |
| KK 254 Crimp<br>Terminal, 22-30<br>AWG, Bag, Hot Tin<br>(Sn) Dip Plating                                      | <u>8500114</u> |
| 3.96mm Pitch KK<br>Crimp Terminal<br>2878, 18-20 AWG,<br>Reel, Brass, Tin<br>(Sn), Bifurcated                 | <u>8500115</u> |
| 3.96mm Pitch KK<br>Crimp Terminal<br>2878, 18-20 AWG,                                                         | <u>8500116</u> |

|                                                                                 |                |
|---------------------------------------------------------------------------------|----------------|
| Bag, Brass, Tin (Sn),<br>Bifurcated                                             |                |
| KK 396 Crimp                                                                    | <u>8500119</u> |
| Terminal 2478, 18-24<br>AWG, Reel, Brass,<br>3.8µm Tin (Sn)                     |                |
| KK 396 Crimp                                                                    | <u>8500120</u> |
| Terminal 2478, 18-24<br>AWG, Bag, Brass,<br>3.8µm Tin (Sn)                      |                |
| KK 396 Crimp                                                                    | <u>8500133</u> |
| Terminal 2578,<br>22-26 AWG, Reel,<br>Phosphor Bronze,<br>2.540µm Tin (Sn)      |                |
| KK 396 Crimp                                                                    | <u>8500134</u> |
| Terminal 2578,<br>22-26 AWG, Bag,<br>Phosphor Bronze,<br>2.540µm Tin(Sn)        |                |
| KK 254 Crimp                                                                    | <u>8500135</u> |
| Terminal 4809, 22-30<br>AWG, Hot Tin Dip,<br>Reel                               |                |
| KK 254 Crimp                                                                    | <u>8500136</u> |
| Terminal 4809, 22-30<br>AWG, Tin, Bag                                           |                |
| KK 254 Crimp                                                                    | <u>8500159</u> |
| Terminal, 22-30<br>AWG, Reel, Tin (Sn)<br>Plating, Nickel (Ni)<br>Under Plating |                |
| KK 254 Crimp                                                                    | <u>8500160</u> |
| Terminal, 22-30<br>AWG, Bag, Tin (Sn)<br>Plating, Nickel (Ni)<br>Under Plating  |                |
| KK Trifurcon Crimp                                                              | <u>8500183</u> |
| Terminal 7258, 22-26<br>AWG, Reel, Brass<br>Tin (Sn)                            |                |
| KK Trifurcon Crimp                                                              | <u>8500185</u> |
| Terminal 7258, 22-26<br>AWG, Bag, Brass Tin<br>(Sn)                             |                |
| KK Trifurcon Crimp                                                              | <u>8500187</u> |
| Terminal 6838, 18-20<br>AWG, Reel, Brass<br>Tin (Sn)                            |                |
| KK Trifurcon Crimp                                                              | <u>8500189</u> |
| Terminal 6838, 18-20<br>AWG, Bag, Brass Tin<br>(Sn)                             |                |
| KK 156 TERM                                                                     | <u>8500251</u> |
| CRP 18-20 AWG<br>TRIFURCON TIN                                                  |                |
| KK 396 Crimp                                                                    | <u>8500281</u> |
| Terminal 2478,<br>18-24 AWG, Reel,<br>Phosphor Bronze,<br>3.87µm Tin (Sn)       |                |
| KK 156 TERM                                                                     | <u>8500283</u> |
| CRP 22-26 AWG<br>TRIFURCON TIN                                                  |                |

|                      |                |
|----------------------|----------------|
| KK 100 Crp Term      | <u>8510101</u> |
| Std 22-30 Awg Unplt  |                |
| KK 254 Crimp         | <u>8510108</u> |
| Terminal, 22-30      |                |
| AWG, Reel, Tin (Sn), |                |
| Nickel (Ni) Under    |                |
| Plating              |                |
| KK 156 TERMINAL      | <u>8510109</u> |
| CRIMP 1820 AWG       |                |
| KK 396 Crimp         | <u>8520071</u> |
| Terminal 2478,       |                |
| 18-24 AWG, Reel,     |                |
| Phosphor Bronze,     |                |
| Tin (Sn)             |                |
| KK 396 Crimp         | <u>8520072</u> |
| Terminal 2478,       |                |
| 18-24 AWG, Bag,      |                |
| Phosphor Bronze,     |                |
| Tin (Sn)             |                |
| KK 254 Crimp         | <u>8520101</u> |
| Terminal 6459,       |                |
| 22-30 AWG, Reel,     |                |
| Phosphor Bronze Tin  |                |
| (Sn)                 |                |
| KK Trifurcon Crimp   | <u>8520112</u> |
| Terminal 6838,       |                |
| 18-20 AWG, Reel,     |                |
| Phosphor Bronze      |                |
| Tin(Sn)              |                |
| KK Trifurcon Crimp   | <u>8520113</u> |
| Terminal 6838,       |                |
| 18-20 AWG, Bag,      |                |
| Phosphor Bronze Tin  |                |
| (Sn)                 |                |
| KK .100 CRIMP        | <u>8520118</u> |
| TERMINAL 100MI       |                |
| MATTE TIN            |                |
| KK 254 Crimp         | <u>8520123</u> |
| Terminal 6459,       |                |
| 22-30 AWG, Bag,      |                |
| Phosphor Bronze Tin  |                |
| (Sn)                 |                |
| KK Trifurcon Crimp   | <u>8520124</u> |
| Terminal 7258,       |                |
| 22-26 AWG, Reel,     |                |
| Phosphor Bronze      |                |
| Tin(Sn)              |                |
| KK Trifurcon Crimp   | <u>8520125</u> |
| Terminal 7258,       |                |
| 22-26 AWG, Bag,      |                |
| Phosphor Bronze Tin  |                |
| (Sn)                 |                |
| 3.96mm Pitch KK      | <u>8520126</u> |
| Crimp Terminal       |                |
| 2878, 18-20 AWG,     |                |
| Reel, Phosphor       |                |
| Bronze, Tin (Sn),    |                |
| Bifurcated           |                |
| 3.96mm Pitch KK      | <u>8520127</u> |
| Crimp Terminal       |                |
| 2878, 18-20 AWG,     |                |
| Bag, Phosphor        |                |
| Bronze, Tin (Sn),    |                |
| Bifurcated           |                |

|                                                                                                       |                |
|-------------------------------------------------------------------------------------------------------|----------------|
| KK 396 Crimp<br>Terminal 8818,<br>18-22 AWG, Reel,<br>Phosphor Bronze Tin<br>(Sn)                     | <u>8520131</u> |
| KK 396 Crimp<br>Terminal 8818,<br>18-22 AWG, Bag,<br>Phosphor Bronze Tin<br>(Sn)                      | <u>8520132</u> |
| KK 396 Crimp<br>Terminal 2478,<br>18-24 AWG, Reel,<br>Phosphor Bronze,<br>5.0µm Tin (Sn)              | <u>8520811</u> |
| KK 396 Crimp<br>Terminal 2478,<br>18-24 AWG, Bag,<br>Phosphor Bronze,<br>5.0µm Tin (Sn)               | <u>8520812</u> |
| KK 156 TERMINAL<br>CRIMP 18-24 AWG                                                                    | <u>8530811</u> |
| KK CRIMP TERM<br>UNPLT LSE<br>PB2478999L                                                              | <u>8530812</u> |
| KK 156 TERMINAL<br>CRIMP 1820 AWG                                                                     | <u>8530814</u> |
| KK 156 TERM<br>CRP 18-20 AWG<br>TRIFURCON                                                             | <u>8531101</u> |
| KK 254 Crimp<br>Terminal, 22-30<br>AWG, Reel,<br>Selective Gold (Au),<br>Nickel (Ni) Under<br>Plating | <u>8550101</u> |
| KK 254 Crimp<br>Terminal, 22-30<br>AWG, Bag, Selective<br>Gold (Au), Nickel (Ni)<br>Under Plating     | <u>8550102</u> |
| KK 396 Crimp<br>Terminal 2478, 18-24<br>AWG, Reel, Brass,<br>0.38µm Selective<br>Gold (Au)            | <u>8550103</u> |
| KK 396 Crimp<br>Terminal 2478, 18-24<br>AWG, Bag, Brass,<br>0.38µm Selective<br>Gold (Au)             | <u>8550104</u> |
| KK 396 Crimp<br>Terminal 2578, 22-26<br>AWG, Reel, Brass,<br>0.38µm Selective<br>Gold (Au)            | <u>8550105</u> |
| KK 396 Crimp<br>Terminal 2578, 22-26<br>AWG, Bag, Brass,<br>0.38µm Selective<br>Gold(Au)              | <u>8550106</u> |
| KK 254 Crimp<br>Terminal 4809, 22-30<br>AWG, Selective Gold<br>(Au), Reel                             | <u>8550110</u> |

|                                                                                                                        |                |
|------------------------------------------------------------------------------------------------------------------------|----------------|
| KK 254 Crimp<br>Terminal 4809, 22-30<br>AWG, Selective Gold<br>(Au), Bag                                               | <u>8550111</u> |
| KK 254 Cat Ear<br>Crimp Terminal<br>4809, 22-30 AWG,<br>Selective Gold, Reel                                           | <u>8550112</u> |
| KK 396 Crimp<br>Terminal 2578, 22-26<br>AWG, Reel, Brass,<br>0.76µm Select Gold<br>(Au) over Gold Flash                | <u>8550123</u> |
| KK High Pressure<br>Crimp Terminal<br>7879, 22-30 AWG,<br>Reel Selective Gold<br>(Au)                                  | <u>8550124</u> |
| KK High Pressure<br>Crimp Terminal<br>7879, 22-30 AWG,<br>Bag Selective Gold<br>(Au)                                   | <u>8550129</u> |
| KK 254 Crimp<br>Terminal, 22-30<br>AWG, Reel,<br>Selective Gold (Au),<br>Nickel (Ni) Under<br>Plating                  | <u>8550130</u> |
| KK 254 Crimp<br>Terminal, 22-30<br>AWG, Bag, Selective<br>Gold (Au), Nickel (Ni)<br>Under Plating                      | <u>8550131</u> |
| KK 396 Crimp<br>Terminal 2478, 18-24<br>AWG, Reel, Brass,<br>0.76µm Gold (Au)                                          | <u>8550133</u> |
| KK 396 Crimp<br>Terminal 2478, 18-24<br>AWG, Bag, Brass,<br>0.76µm Gold (Au)                                           | <u>8550134</u> |
| KK 396 Crimp<br>Terminal 2578, 22-26<br>AWG, Left Payoff<br>Reel, Brass, 0.76µm<br>Select Gold (Au)<br>over Gold Flash | <u>8550137</u> |
| KK 156 TERMINAL<br>CRIMP 1820 AWG<br>GOLD                                                                              | <u>8550138</u> |
| KK 396 Crimp<br>Terminal 2478, 18-24<br>AWG, Reel, Brass,<br>0.51µm Selective<br>Gold (Au)                             | <u>8560105</u> |
| KK 396 Crimp<br>Terminal 2478, 18-24<br>AWG, Bag, Brass,<br>0.51µm Selective<br>Gold (Au)                              | <u>8560106</u> |
| KK 396 Crimp<br>Terminal 2578, 22-26<br>AWG, Reel, Brass,                                                              | <u>8560107</u> |

|                                                                                                                        |                |
|------------------------------------------------------------------------------------------------------------------------|----------------|
| 0.51µm Select Gold<br>(Au) over Gold Flash<br>KK 396 Crimp                                                             | <u>8560108</u> |
| Terminal 2578, 22-26<br>AWG, Bag, Brass,                                                                               |                |
| 0.51µm Select Gold<br>(Au) over Gold Flash<br>KK 254 Crimp                                                             | <u>8560109</u> |
| Terminal, 22-30<br>AWG, Reel, Gold<br>(Au), Nickel (Ni)<br>Under Plating                                               |                |
| KK 254 Crimp                                                                                                           | <u>8560110</u> |
| Terminal, 22-30<br>AWG, Bag, Gold<br>(Au), Nickel (Ni)<br>Under Plating                                                |                |
| KK Crimp Terminal, Series 2477,<br>Humpback, with<br>Overall Gold (Au)<br>Plated Brass<br>Contact, 18-24 AWG,<br>Reel  | <u>8560113</u> |
| KK Crimp Terminal, Series 2477,<br>Humpback, with<br>Overall Gold (Au)<br>Plated Brass<br>Contact, 18-24 AWG,<br>Loose | <u>8560114</u> |
| KK 254 Crimp                                                                                                           | <u>8560115</u> |
| Terminal 4809, 22-30<br>AWG, Selective Gold<br>(Au), Bag                                                               |                |
| KK 254 Crimp                                                                                                           | <u>8560120</u> |
| Terminal 4809, 22-30<br>AWG, Selective Gold<br>(Au), Reel                                                              |                |
| KK Trifurcon Crimp                                                                                                     | <u>8560123</u> |
| Terminal 7258,<br>22-26 AWG, Reel,<br>Phosphor Bronze<br>Gold (Au)                                                     |                |
| KK Trifurcon Crimp                                                                                                     | <u>8560124</u> |
| Terminal 7258,<br>22-26 AWG, Bag,<br>Phosphor Bronze<br>Gold(Au)                                                       |                |
| KK 156 TERMINAL<br>CRIMP 18-24 AWG<br>GOLD                                                                             | <u>8580103</u> |
| KK 156 TERMINAL<br>CRIMP 18-24 AWG<br>GOLD                                                                             | <u>8580104</u> |
| KK 156 TERM<br>CRP 18-20 AWG<br>TRIFURCON GOLD                                                                         | <u>8580105</u> |
| KK 156 TERM<br>CRP 18-20 AWG<br>TRIFURCON GOLD                                                                         | <u>8580106</u> |
| KK Trifurcon Crimp                                                                                                     | <u>8580110</u> |
| Terminal 6438,<br>18-20 AWG, Reel,                                                                                     |                |

|  |                      |                |
|--|----------------------|----------------|
|  | Phosphor Bronze      |                |
|  | Selective Gold (Au)  |                |
|  | KK Trifurcon Crimp   | <u>8580111</u> |
|  | Terminal 6438,       |                |
|  | 18-20 AWG, Bag,      |                |
|  | Phosphor Bronze      |                |
|  | Selective Gold (Au)  |                |
|  | KK 396 Crimp         | <u>8580114</u> |
|  | Terminal 2478,       |                |
|  | 18-24 AWG, Reel,     |                |
|  | Phosphor Bronze,     |                |
|  | 0.76µm Gold (Au)     |                |
|  | KK 396 Crimp         | <u>8580115</u> |
|  | Terminal 2478,       |                |
|  | 18-24 AWG, Bag,      |                |
|  | Phosphor Bronze,     |                |
|  | 0.76µm Gold (Au)     |                |
|  | KK 156 TERM          | <u>8580118</u> |
|  | CRP 18-20 AWG        |                |
|  | TRIFURCON GOLD       |                |
|  | KK 396 Crimp         | <u>8580121</u> |
|  | Terminal 2478,       |                |
|  | 18-24 AWG, Reel,     |                |
|  | Phosphor Bronze,     |                |
|  | 0.51µm Selective     |                |
|  | Gold (Au)            |                |
|  | KK 396 Crimp         | <u>8580122</u> |
|  | Terminal 2478,       |                |
|  | 18-24 AWG, Bag,      |                |
|  | Phosphor Bronze,     |                |
|  | 0.51µm Selective     |                |
|  | Gold (Au)            |                |
|  | KK 396 Crimp         | <u>8580125</u> |
|  | Terminal 2578,       |                |
|  | 22-26 AWG, Reel,     |                |
|  | Phosphor Bronze,     |                |
|  | 0.51µm Selective     |                |
|  | Gold (Au)            |                |
|  | KK 396 Crimp         | <u>8580126</u> |
|  | Terminal 2578,       |                |
|  | 22-26 AWG, Bag,      |                |
|  | Phosphor Bronze,     |                |
|  | 0.51µm Selective     |                |
|  | Gold (Au)            |                |
|  | 3.96mm Pitch KK      | <u>8580127</u> |
|  | Crimp Terminal       |                |
|  | 2878, 18-20 AWG,     |                |
|  | Reel, Phosphor       |                |
|  | Bronze, 0.51µm       |                |
|  | Selective Gold (Au), |                |
|  | Bifurcated           |                |
|  | 3.96mm Pitch KK      | <u>8580128</u> |
|  | Crimp Terminal       |                |
|  | 2878, 18-20 AWG,     |                |
|  | Bag, Phosphor        |                |
|  | Bronze, 0.51µm       |                |
|  | Selective Gold (Au), |                |
|  | Bifurcated           |                |
|  | KK 396 Crimp         | <u>8580135</u> |
|  | Terminal 8818,       |                |
|  | 18-22 AWG, Reel,     |                |
|  | Phosphor Bronze      |                |
|  | Selective Gold (Au)  |                |
|  | KK 396 Crimp         | <u>8580136</u> |
|  | Terminal 8818,       |                |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 18-22 AWG, Bag,<br>Phosphor Bronze<br>Selective Gold (Au)<br>KK Trifurcon Crimp<br>Terminal 6438,<br>18-20 AWG, Reel,<br>Phosphor Bronze<br>Gold (Au)<br>KK Trifurcon Crimp<br>Terminal 6438,<br>18-20 AWG, Bag,<br>Phosphor Bronze<br>Gold(Au)<br>KK 396 Crimp<br>Terminal 2578,<br>22-26 AWG, Reel,<br>Phosphor Bronze,<br>3.810µm Tin (Sn)<br>KK 396 Crimp<br>Terminal 2578,<br>22-26 AWG, Bag,<br>Phosphor Bronze,<br>3.810µm Tin (Sn)<br>KK 254 Crimp<br>Terminal 8088, 22-30<br>AWG, Gold/Nickel,<br>Reel<br>KK 396 Crimp<br>Terminal 2578,<br>22-26 AWG, Reel,<br>Phosphor Bronze,<br>0.76µm Select Gold<br>(Au) over Gold Flash<br>KK 396 Crimp<br>Terminal 2478,<br>18-24 AWG, Reel,<br>Phosphor Bronze,<br>0.38µm Selective<br>Gold (Au)<br>KK 396 Crimp<br>Terminal 2478,<br>18-24 AWG, Bag,<br>Phosphor Bronze,<br>0.38µm Selective<br>Gold (Au)<br>KK 396 Crimp<br>Terminal 2578,<br>22-26 AWG, Reel,<br>Phosphor Bronze,<br>0.38µm Selective<br>Gold (Au)<br>KK 396 Crimp<br>Terminal 2578,<br>22-26 AWG, Bag,<br>Phosphor Bronze,<br>0.38µm Selective<br>Gold (Au)<br>3.96mm Pitch KK<br>Crimp Terminal<br>2878, 18-20 AWG,<br>Reel, Phosphor<br>Bronze, 0.38µm<br>Selective Gold (Au),<br>Bifurcated | <br><br><br><u>8580187</u><br><br><br><br><br><u>8580189</u><br><br><br><br><br><u>8600003</u><br><br><br><br><br><u>8600004</u><br><br><br><br><br><u>8650105</u><br><br><br><br><br><u>8650110</u><br><br><br><br><br><u>8650114</u><br><br><br><br><br><u>8650115</u><br><br><br><br><br><u>8650116</u><br><br><br><br><br><u>8650117</u><br><br><br><br><br><u>8650118</u> |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                                                                                                                |                |
|--------------------------------------------------------------------------------------------------------------------------------|----------------|
| 3.96mm Pitch KK<br>Crimp Terminal<br>2878, 18-20 AWG,<br>Bag, Phosphor<br>Bronze, 0.38µm<br>Selective Gold (Au),<br>Bifurcated | <u>8650119</u> |
| KK Trifurcon Crimp<br>Terminal 7258,<br>22-26 AWG, Reel,<br>Phosphor Bronze<br>Selective Gold (Au)                             | <u>8650121</u> |
| KK Trifurcon Crimp<br>Terminal 7258,<br>22-26 AWG, Bag,<br>Phosphor Bronze<br>Selective Gold (Au)                              | <u>8650122</u> |
| KK 396 Crimp<br>Terminal 8818,<br>18-22 AWG, Reel,<br>Phosphor Bronze<br>Selective Gold (Au)                                   | <u>8650128</u> |
| KK 396 Crimp<br>Terminal 8818,<br>18-22 AWG, Bag,<br>Phosphor Bronze<br>Selective Gold (Au)                                    | <u>8650129</u> |
| KK 100 Crp Term<br>Std 22-30 Awg<br>SGold                                                                                      | <u>8650801</u> |
| KK 254 Cat Ear<br>Crimp Terminal<br>41572, Reel Tin (Sn)                                                                       | <u>8650804</u> |
| KK 254 Cat Ear<br>Crimp Terminal<br>41572, Bag Tin (Sn)                                                                        | <u>8650805</u> |
| KK 100 Crp Term<br>Std 22-30 Awg<br>SGold                                                                                      | <u>8650811</u> |
| KK 100 Crp Term<br>Std 22-30 Awg<br>SGold                                                                                      | <u>8650812</u> |
| KK 254 Crimp<br>Terminal 6459,<br>22-30 AWG, Reel,<br>Phosphor Bronze<br>Gold (Au)                                             | <u>8650813</u> |
| KK 254 Crimp<br>Terminal 6459,<br>22-30 AWG, Bag,<br>Phosphor Bronze<br>Gold (Au)                                              | <u>8650814</u> |
| KK 254 Crimp<br>Terminal 6459,<br>22-30 AWG, Reel,<br>Phosphor Bronze<br>Selective Gold (Au)                                   | <u>8650815</u> |
| KK 254 Crimp<br>Terminal 6459,<br>22-30 AWG, Bag,<br>Phosphor Bronze<br>Selective Gold (Au)                                    | <u>8650816</u> |
| KK 100 Crp Term<br>Std 22-30 Awg<br>SGold                                                                                      | <u>8650817</u> |

|                      |                |
|----------------------|----------------|
| 4.80mm Pitch Crimp   | <u>8700001</u> |
| Terminal, Female,    |                |
| Reel                 |                |
| 4.80mm Pitch Crimp   | <u>8700002</u> |
| Terminal, Male, Reel |                |
| 3.96 and 5.08mm      | <u>8700012</u> |
| Pitch KK Cat Ear     |                |
| Crimp Terminal,      |                |
| Female, 18-24 AWG,   |                |
| Reel                 |                |
| KK Cat Ear Crimp     | <u>8700048</u> |
| Terminal 5159,       |                |
| 22-28 AWG, Reel,     |                |
| Phosphor Bronze,     |                |
| Tin (Sn) Plating     |                |
| KK Cat Ear Crimp     | <u>8700049</u> |
| Terminal 5159,       |                |
| 22-28 AWG, Bag,      |                |
| Phosphor Bronze,     |                |
| Tin (Sn) Plating     |                |
| SPOX Crimp           | <u>8700056</u> |
| Terminal 5103, 22-28 |                |
| AWG, Reel, Brass     |                |
| (CuZn), Chain Type   |                |
| SPOX Crimp           | <u>8700058</u> |
| Terminal 5103,       |                |
| 22-28 AWG, Reel,     |                |
| Phosphor Bronze      |                |
| (CuSn), Chain Type   |                |
| KK Cat Ear Crimp     | <u>8700064</u> |
| Terminal 5159, 22-28 |                |
| AWG, Reel, Brass,    |                |
| Tin (Sn) over Copper |                |
| Plating              |                |
| KK Cat Ear Crimp     | <u>8700069</u> |
| Terminal 5159, 22-28 |                |
| AWG, Bag, Brass,     |                |
| Tin (Sn) over Copper |                |
| Plating              |                |
| 2.50mm Pitch         | <u>8700102</u> |
| Mini-Latch Crimp     |                |
| Terminal, Male,      |                |
| Brass, Reel          |                |
| 2.50mm Pitch         | <u>8700103</u> |
| Mini-Latch Crimp     |                |
| Terminal, Male,      |                |
| Brass, Bag           |                |
| Board-in Crimp       | <u>8700106</u> |
| Terminal , Series    |                |
| 5298, Male, with Tin |                |
| Insulation Diameter, |                |
| Reel Packaged        |                |
| .062DIA CRIMP        | <u>8701011</u> |
| REC.                 |                |
| .062DIA CRIMP PIN    | <u>8701013</u> |
| SPOX Crimp           | <u>8701030</u> |
| Terminal, 18-24      |                |
| AWG, Brass, Bag      |                |
| SPOX Crimp           | <u>8701031</u> |
| Terminal, 18-24      |                |
| AWG, Brass, Reel     |                |
| 2.50mm Pitch, Mini-  | <u>8701039</u> |
| SPOX Female Crimp    |                |
| Terminal, 22-28      |                |
| AWG, Reel            |                |

|                                                                                                                                           |                |
|-------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 2.50mm Pitch<br>Mini-SPOX Crimp<br>Terminal, 22-28<br>AWG, Bag                                                                            | <u>8701040</u> |
| 2.5 Low Profile<br>Crimp Rec Chain W/<br>Plt                                                                                              | <u>8701047</u> |
| 3.96mm Pitch KK<br>Crimp Housing, Edge<br>Card Connector,<br>Single-Sided,<br>Polarized, Positive<br>Lock, with Probe<br>Hole, 3 Circuits | <u>9011036</u> |
| .156 IDT ASSEMBLY<br>724103L                                                                                                              | <u>9072031</u> |
| KK 396 PC Board<br>Connector, Right<br>Angle, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 2 Circuits                                      | <u>9481024</u> |
| KK 396 PC Board<br>Connector, Right<br>Angle, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 3 Circuits                                      | <u>9481034</u> |
| KK 396 PC Board<br>Connector, Right<br>Angle, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 4 Circuits                                      | <u>9481044</u> |
| KK 396 PC Board<br>Connector, Right<br>Angle, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 5 Circuits                                      | <u>9481054</u> |
| KK 396 PC Board<br>Connector, Right<br>Angle, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 6 Circuits                                      | <u>9481064</u> |
| KK 396 PC Board<br>Connector, Right<br>Angle, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 7 Circuits                                      | <u>9481074</u> |
| KK 396 PC Board<br>Connector, Right<br>Angle, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 8 Circuits                                      | <u>9481084</u> |
| KK 396 PC Board<br>Connector, Right<br>Angle, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 9 Circuits                                      | <u>9481094</u> |
| KK 396 PC Board<br>Connector, Right<br>Angle, Polyester<br>Connector, 5.00µm<br>Tin (Sn), 10 Circuits                                     | <u>9481104</u> |
| KK 396 PC Board<br>Connector, Top<br>Entry, Polyester                                                                                     | <u>9481105</u> |

Connector, Gold (Au)  
Selective, 10 Circuits  
KK 396 PC Board     9481114  
Connector, Right  
Angle, Polyester  
Connector, 5.00µm  
Tin (Sn), 11 Circuits  
KK 396 PC Board     9481124  
Connector, Right  
Angle, Polyester  
Connector, 5.00µm  
Tin (Sn), 12 Circuits  
KK 396 PC Board     9481134  
Connector, Right  
Angle, Polyester  
Connector, 5.00µm  
Tin (Sn), 13 Circuits  
KK 396 PC Board     9481144  
Connector, Right  
Angle, Polyester  
Connector, 5.00µm  
Tin (Sn), 14 Circuits  
KK 396 PC Board     9481154  
Connector, Right  
Angle, Polyester  
Connector, 5.00µm  
Tin (Sn), 15 Circuits  
KK 396 PC Board     9483024  
Connector, Bottom  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 2 Circuits  
KK 396 PC Board     9483025  
Connector, Right  
Angle, Polyester  
Connector, Gold (Au)  
Selective, 2 Circuits  
KK 396 PC Board     9483026  
Connector, Top  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 2 Circuits  
KK 396 PC Board     9483034  
Connector, Bottom  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 3 Circuits  
KK 396 PC Board     9483035  
Connector, Right  
Angle, Polyester  
Connector, Gold (Au)  
Selective, 3 Circuits  
KK 396 PC Board     9483036  
Connector, Top  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 3 Circuits  
KK 396 PC Board     9483044  
Connector, Bottom  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 4 Circuits  
KK 396 PC Board     9483045  
Connector, Right-  
Angle, Polyester

Connector, Gold (Au)  
Selective, 4 Circuits  
KK 396 PC Board    9483046  
Connector, Top  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 4 Circuits  
KK 396 PC Board    9483054  
Connector, Bottom  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 5 Circuits  
KK 396 PC Board    9483055  
Connector, Right-  
Angle, Polyester  
Connector, Gold (Au)  
Selective, 5 Circuits  
KK 396 PC Board    9483056  
Connector, Top  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 5 Circuits  
KK 396 PC Board    9483064  
Connector, Bottom  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 6 Circuits  
KK 396 PC Board    9483065  
Connector, Right-  
Angle, Polyester  
Connector, Gold (Au)  
Selective, 6 Circuits  
KK 396 PC Board    9483066  
Connector, Top  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 6 Circuits  
KK 396 PC Board    9483074  
Connector, Bottom  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 7 Circuits  
KK 396 PC Board    9483075  
Connector, Right-  
Angle, Polyester  
Connector, Gold (Au)  
Selective, 7 Circuits  
KK 396 PC Board    9483076  
Connector, Top  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 7 Circuits  
KK 396 PC Board    9483084  
Connector, Bottom  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 8 Circuits  
KK 396 PC Board    9483085  
Connector, Right-  
Angle, Polyester  
Connector, Gold (Au)  
Selective, 8 Circuits  
KK 396 PC Board    9483086  
Connector, Top  
Entry, Polyester

Connector, Gold (Au)  
Selective, 8 Circuits  
KK 396 PC Board     9483094  
Connector, Bottom  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 9 Circuits  
KK 396 PC Board     9483095  
Connector, Right-  
Angle, Polyester  
Connector, Gold (Au)  
Selective, 9 Circuits  
KK 396 PC Board     9483096  
Connector, Top  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 9 Circuits  
KK 396 PC Board     9483104  
Connector, Bottom  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 10 Circuits  
KK 396 PC Board     9483105  
Connector, Right-  
Angle, Polyester  
Connector, Gold (Au)  
Selective, 10 Circuits  
KK 396 PC Board     9483106  
Connector, Top  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 10 Circuits  
KK 396 PC Board     9483114  
Connector, Bottom  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 11 Circuits  
KK 396 PC Board     9483115  
Connector, Right-  
Angle, Polyester  
Connector, Gold (Au)  
Selective, 11 Circuits  
KK 396 PC Board     9483116  
Connector, Top  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 11 Circuits  
KK 396 PC Board     9483124  
Connector, Bottom  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 12 Circuits  
KK 396 PC Board     9483125  
Connector, Right-  
Angle, Polyester  
Connector, Gold (Au)  
Selective, 12 Circuits  
KK 396 PC Board     9483126  
Connector, Top  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 12 Circuits  
KK 396 PC Board     9483134  
Connector, Bottom  
Entry, Polyester

Connector, Gold (Au)  
Selective, 13 Circuits  
KK 396 PC Board     9483135  
Connector, Right-  
Angle, Polyester  
Connector, Gold (Au)  
Selective, 13 Circuits  
KK 396 PC Board     9483136  
Connector, Top  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 13 Circuits  
KK 396 PC Board     9483144  
Connector, Bottom  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 14 Circuits  
KK 396 PC Board     9483145  
Connector, Right-  
Angle, Polyester  
Connector, Gold (Au)  
Selective, 14 Circuits  
KK 396 PC Board     9483146  
Connector, Top  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 14 Circuits  
KK 396 PC Board     9483154  
Connector, Bottom  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 15 Circuits  
KK 396 PC Board     9483155  
Connector, Right-  
Angle, Polyester  
Connector, Gold (Au)  
Selective, 15 Circuits  
KK 396 PC Board     9483156  
Connector, Top  
Entry, Polyester  
Connector, Gold (Au)  
Selective, 15 Circuits  
KK 396 PC Board     9484028  
Connector, Top  
Entry, Polyester  
Connector, 5.00µm  
Tin (Sn), 2 Circuits  
KK 396 PC Board     9484029  
Connector, Bottom  
Entry, Polyester  
Connector, 5.00µm  
Tin (Sn), 2 Circuits  
KK 396 PC Board     9484038  
Connector, Top  
Entry, Polyester  
Connector, 5.00µm  
Tin (Sn), 3 Circuits  
KK 396 PC Board     9484039  
Connector, Bottom  
Entry, Polyester  
Connector, 5.00µm  
Tin (Sn), 3 Circuits  
KK 396 PC Board     9484048  
Connector, Top  
Entry, Polyester

|  |                                                               |                |
|--|---------------------------------------------------------------|----------------|
|  | Connector, 5.00µm<br>Tin (Sn), 4 Circuits<br>KK 396 PC Board  | <u>9484049</u> |
|  | Connector, Bottom<br>Entry, Polyester                         |                |
|  | Connector, 5.00µm<br>Tin (Sn), 4 Circuits<br>KK 396 PC Board  | <u>9484058</u> |
|  | Connector, Top<br>Entry, Polyester                            |                |
|  | Connector, 5.00µm<br>Tin (Sn), 5 Circuits<br>KK 396 PC Board  | <u>9484059</u> |
|  | Connector, Bottom<br>Entry, Polyester                         |                |
|  | Connector, 5.00µm<br>Tin (Sn), 5 Circuits<br>KK 396 PC Board  | <u>9484068</u> |
|  | Connector, Top<br>Entry, Polyester                            |                |
|  | Connector, 5.00µm<br>Tin (Sn), 6 Circuits<br>KK 396 PC Board  | <u>9484069</u> |
|  | Connector, Bottom<br>Entry, Polyester                         |                |
|  | Connector, 5.00µm<br>Tin (Sn), 6 Circuits<br>KK 396 PC Board  | <u>9484078</u> |
|  | Connector, Top<br>Entry, Polyester                            |                |
|  | Connector, 5.00µm<br>Tin (Sn), 7 Circuits<br>KK 396 PC Board  | <u>9484079</u> |
|  | Connector, Bottom<br>Entry, Polyester                         |                |
|  | Connector, 5.00µm<br>Tin (Sn), 7 Circuits<br>KK 396 PC Board  | <u>9484088</u> |
|  | Connector, Top<br>Entry, Polyester                            |                |
|  | Connector, 5.00µm<br>Tin (Sn), 8 Circuits<br>KK 396 PC Board  | <u>9484089</u> |
|  | Connector, Bottom<br>Entry, Polyester                         |                |
|  | Connector, 5.00µm<br>Tin (Sn), 8 Circuits<br>KK 396 PC Board  | <u>9484098</u> |
|  | Connector, Top<br>Entry, Polyester                            |                |
|  | Connector, 5.00µm<br>Tin (Sn), 9 Circuits<br>KK 396 PC Board  | <u>9484099</u> |
|  | Connector, Bottom<br>Entry, Polyester                         |                |
|  | Connector, 5.00µm<br>Tin (Sn), 9 Circuits<br>KK 396 PC Board  | <u>9484108</u> |
|  | Connector, Top<br>Entry, Polyester                            |                |
|  | Connector, 5.00µm<br>Tin (Sn), 10 Circuits<br>KK 396 PC Board | <u>9484109</u> |
|  | Connector, Bottom<br>Entry, Polyester                         |                |

Connector, 5.00µm  
Tin (Sn), 10 Circuits  
KK 396 PC Board 9484118  
Connector, Top  
Entry, Polyester  
Connector, 5.00µm  
Tin (Sn), 11 Circuits  
KK 396 PC Board 9484119  
Connector, Bottom  
Entry, Polyester  
Connector, 5.00µm  
Tin (Sn), 11 Circuits  
KK 396 PC Board 9484128  
Connector, Top  
Entry, Polyester  
Connector, 5.00µm  
Tin (Sn), 12 Circuits  
KK 396 PC Board 9484129  
Connector, Bottom  
Entry, Polyester  
Connector, 5.00µm  
Tin (Sn), 12 Circuits  
KK 396 PC Board 9484138  
Connector, Top  
Entry, Polyester  
Connector, 5.00µm  
Tin (Sn), 13 Circuits  
KK 396 PC Board 9484139  
Connector, Bottom  
Entry, Polyester  
Connector, 5.00µm  
Tin (Sn), 13 Circuits  
KK 396 PC Board 9484148  
Connector, Top  
Entry, Polyester  
Connector, 5.00µm  
Tin (Sn), 14 Circuits  
KK 396 PC Board 9484149  
Connector, Bottom  
Entry, Polyester  
Connector, 5.00µm  
Tin (Sn), 14 Circuits  
KK 396 PC Board 9484158  
Connector, Top  
Entry, Polyester  
Connector, 5.00µm  
Tin (Sn), 15 Circuits  
KK 396 PC Board 9484159  
Connector, Bottom  
Entry, Polyester  
Connector, 5.00µm  
Tin (Sn), 15 Circuits  
KK 156 PC Board 9485088  
Connector, Top  
Entry, Polyester  
Connector, Tin (Sn),  
8 Circuits  
3.96mm Pitch SPOX 9501021  
Crimp Housing,  
Female, with Friction  
Ramp, 2 Circuits,  
Natural  
3.96mm Pitch SPOX 9501023  
Crimp Housing,  
Female, with Friction

Ramp and Void, 2  
Circuits, Natural  
3.96mm Pitch SPOX [9501031](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 3 Circuits,  
Natural  
3.96mm Pitch SPOX [9501033](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 3  
Circuits, Natural  
3.96mm Pitch SPOX [9501041](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 4 Circuits,  
Natural  
3.96mm Pitch SPOX [9501043](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 4  
Circuits, Natural  
3.96mm Pitch SPOX [9501051](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 5 Circuits,  
Natural  
3.96mm Pitch SPOX [9501053](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 5  
Circuits, Natural  
3.96mm Pitch SPOX [9501061](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 6 Circuits,  
Natural  
3.96mm Pitch SPOX [9501063](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 6  
Circuits, Natural  
3.96mm Pitch SPOX [9501071](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 7 Circuits,  
Natural  
3.96mm Pitch SPOX [9501073](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 7  
Circuits, Natural  
3.96mm Pitch SPOX [9501081](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 8 Circuits,  
Natural  
3.96mm Pitch SPOX [9501083](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 8  
Circuits, Natural  
3.96mm Pitch SPOX [9501091](#)  
Crimp Housing,  
Female, with Friction

|                                                                                                                                                           |                                |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|
| Ramp, 9 Circuits,<br>Natural<br>3.96mm Pitch SPOX                                                                                                         | <a href="#"><u>9501101</u></a> |
| Crimp Housing,<br>Female, with Friction<br>Ramp, 10 Circuits,<br>Natural<br>3.96mm Pitch SPOX                                                             | <a href="#"><u>9501103</u></a> |
| Crimp Housing,<br>Female, with Friction<br>Ramp and Void, 10<br>Circuits, Natural<br>3.96mm Pitch SPOX                                                    | <a href="#"><u>9501111</u></a> |
| Crimp Housing,<br>Female, with Friction<br>Ramp, 11 Circuits,<br>Natural<br>3.96mm Pitch SPOX                                                             | <a href="#"><u>9501113</u></a> |
| Crimp Housing,<br>Female, with Friction<br>Ramp and Void, 11<br>Circuits, Natural<br>3.96mm Pitch SPOX                                                    | <a href="#"><u>9501121</u></a> |
| Crimp Housing,<br>Female, with Friction<br>Ramp, 12 Circuits,<br>Natural<br>KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 2<br>Circuits, Natural | <a href="#"><u>9503021</u></a> |
| KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 3<br>Circuits, Natural                                                                             | <a href="#"><u>9503031</u></a> |
| KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 4<br>Circuits, Natural                                                                             | <a href="#"><u>9503041</u></a> |
| KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 5<br>Circuits, Natural                                                                             | <a href="#"><u>9503051</u></a> |
| KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 6<br>Circuits, Natural                                                                             | <a href="#"><u>9503061</u></a> |
| KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 7<br>Circuits, Natural                                                                             | <a href="#"><u>9503071</u></a> |
| KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 8<br>Circuits, Natural                                                                             | <a href="#"><u>9503081</u></a> |
| KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 9<br>Circuits, Natural                                                                             | <a href="#"><u>9503091</u></a> |
| KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 10<br>Circuits, Natural                                                                            | <a href="#"><u>9503101</u></a> |
| KK 3.96mm Crimp<br>Terminal Housing,                                                                                                                      | <a href="#"><u>9503111</u></a> |

|                   |                |
|-------------------|----------------|
| Friction Ramp, 11 |                |
| Circuits, Natural |                |
| KK 3.96mm Crimp   | <u>9503121</u> |
| Terminal Housing, |                |
| Friction Ramp, 12 |                |
| Circuits, Natural |                |
| KK 3.96mm Crimp   | <u>9503131</u> |
| Terminal Housing, |                |
| Friction Ramp, 13 |                |
| Circuits, Natural |                |
| KK 3.96mm Crimp   | <u>9503141</u> |
| Terminal Housing, |                |
| Friction Ramp, 14 |                |
| Circuits, Natural |                |
| KK 3.96mm Crimp   | <u>9503151</u> |
| Terminal Housing, |                |
| Friction Ramp, 15 |                |
| Circuits, Natural |                |
| KK 3.96mm Crimp   | <u>9503161</u> |
| Terminal Housing, |                |
| Friction Ramp, 16 |                |
| Circuits, Natural |                |

This document was generated on 04/15/2020  
**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**