


Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation at <http://www.download.phoenixcontact.com>. The General Terms and Conditions of Use apply to Internet downloads.

▶ Extract from the online catalog



Thermal miniature circuit breaker, pluggable in screw-type fuse terminal block UK 6-FSI/C and spring-cage fuse terminal block ST 4-FSI/C

The illustration shows version TCP 2A

Order No.	0712314
Ord designation	TCP 10A
EAN	4017918848415
Pack	20 Pcs.
Customs tariff	85362010
Catalog page information	Page 271 (CL-2005)

▶ Product notes

WEEE/RoHS-compliant since: 01/01/2003



▶ Technical data

General

Color	black
-------	-------

Dimensions


Width	8.20 mm
Length	24.50 mm
Height NS 35/7,5	45.00 mm

Technical data


Nominal current I_N	10 A
Nominal voltage U_N	250 V

► Drawings


Application drawing



Diagram



Dimensioned drawing



► Accessories

Item	Designation	Description
Marking		
0807180	ZBFM 5/OG:UNBEDRUCKT	Zack marker sheet, flat, unprinted: 120-section, 10 strips à 12 markers, sufficient for 120 terminal blocks, for all terminal blocks, pitch 5.2 mm, labeling with M-PEN or CMS system, color: orange
0803595	ZBFM 5/WH:UNBEDRUCKT	Zack marker sheet, flat, unprinted: 120-section, 10 strips à 12 markers, sufficient for 120 terminal blocks, for all terminal blocks, pitch 5.2 mm, labeling with M-PEN or CMS system, color: white
0803647	ZBFM 5:SO/CMS	Special printing, Zack marker sheet, flat, 120-section, divisible, marking according to customer requirements

► Additional products

Item	Designation	Description
General		
3036372	ST 4-FSI/C	Fuse terminal block for mounting on NS 35, for miniature circuit breakers, terminal width: 8,2 mm, color: Black
3118203	UK 6-FSI/C	Flat-type fuse terminal block, cross section: 0.2 - 6 mm, AWG: 26 - 8, width: 8.2 mm, color: black

► Address

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg
Germany
Phone +49 5235 3 00
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>
Phoenix Contact
Technical modifications reserved;