



Extract from the online catalog



## ZBFM 6:SO/CMS

This product has been replaced by a newer version.

Order No.: 0803650

The illustration shows the versions ZBM and ZBFM

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=0803650>

Special printing, Zack marker sheet, flat, 100-section, divisible, marking according to customer requirements

### Commercial data

EAN	4017918007614
Pack	1 pcs.
Customs tariff	39269097
Weight/Piece	0.0054 KG
Catalog page information	Page 93 (TT-2007)

### Product notes

WEEE/RoHS-compliant since:  
01/01/2003



<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

### Technical data

#### General

Color	white
Inflammability class acc. to UL 94	V2
Wipe resistance	DIN EN 61010-1 (VDE 0411-1)
Ambient temperature (operation)	-40 °C ... 100 °C
Components	free from silicone and halogen
Pitch	6.2 mm

ZBFM 6:SO/CMS Order No.: 0803650

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=0803650>

---

Material	PA
Pitch	6.2 mm

onlinecomponents.com

ZBFM 6:SO/CMS Order No.: 0803650  
<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=0803650>

---

**Address**

PHOENIX CONTACT Deutschland GmbH  
Flachmarktstr. 8  
32825 Blomberg, Germany  
Phone +49 5235 3 12000  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.de>



© 2010 Phoenix Contact  
Technical modifications reserved;

onlinecomponents.com