

Printed-circuit board connector - MSTBT 2,5 HC/ 4-STP BU - 1009166


Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



PCB connector, number of positions: 4, pitch: 5 mm, contact surface: Tin



Key Commercial Data

Packing unit	50 pc
Minimum order quantity	500 pc
GTIN	 4 055626 481920
GTIN	4055626481920

Technical data


Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
------------	----------------

Drawings

Printed-circuit board connector - MSTBT 2,5 HC/ 4-STP BU - 1009166

Diagram



Type: MSTBT 2,5 HC/...-STF with ICC20(25)-H/...L(R)5,0-...

Classifications

eCl@ss

eCl@ss 10.0.1	27440309
eCl@ss 8.0	27440309
eCl@ss 9.0	27440309

ETIM

ETIM 5.0	EC002638
ETIM 6.0	EC002638
ETIM 7.0	EC002638

Approvals

Approvals

Approvals


EAC / cULus Recognized


Ex Approvals

Approval details

Printed-circuit board connector - MSTBT 2,5 HC/ 4-STP BU - 1009166

Approvals

EAC		B.01742
-----	---	---------

cULus Recognized		http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.htm	E60425-19931012
------------------	---	---	-----------------

	B	D
Nominal voltage UN	300 V	300 V
Nominal current IN	16 A	10 A
mm ² /AWG/kcmil	30-12	30-12

Phoenix Contact 2020 © - all rights reserved
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>