

VS-PPC-J-1-SCRJ-MNBK

Order No.: 1405206

SCRJ push-pull coupling



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1405206>

SCRJ push-pull coupling, IP67, metal, CAT5e, with protective cover,
color: Nickel-plated

Ethernet

Commercial data	
GTIN (EAN)	
Note	Made-to-order
sales group	D510
Pack	1 pcs.
Customs tariff	85366990
Catalog page information	Page 338 (PC-2011)

Product notes

WEEE/RoHS-compliant since:
12/06/2007



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data	
Mechanical characteristics	
Number of positions	2
Color	silver
Ambient temperature (operation)	-40 °C ... 70 °C

Material data

Housing material	Zinc die-cast
Material	Metal
Degree of protection	IP67

Electrical characteristics

Number of positions	2
---------------------	---

Certificates / Approvals




Certification

UL Listed

Diagrams/Drawings

Dimensioned drawing



SCRJ push-pull coupling

Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2011 Phoenix Contact
Technical modifications reserved;