

Housing - HC-STA-D07-CHWS-1TGM25-PL-BK - 1419260

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Coupling housings D7, with single locking latch, material: PA, cable outlets: 1, straight, height: 60.5 mm, cable gland: with, support sleeve: no, 1x M25, Standard

Key Commercial Data

| | |
|--------------|---------------|
| Packing unit | 1 pc |
| GTIN | |
| GTIN | 4055626160115 |

Technical data

Dimensions

| | |
|-------------------------|-----------------|
| Height | 60.5 mm |
| Width | 26.5 mm |
| Length | 26.5 mm |
| External cable diameter | 10 mm ... 16 mm |

Ambient conditions

| | |
|--------------------------------------|-------------------|
| Degree of protection of housing (IP) | IP66 |
| Ambient temperature (operation) | -40 °C ... 125 °C |

General

| | |
|----------------------|---|
| Note | for contact inserts HC-A03, A04, D07, D08, Q02, Q03, Q04, Q05, Q07, Q12 |
| Size | D7 |
| Housing type | Coupling housings |
| Color | black |
| Locking type | with single locking latch |
| No. of cable outlets | 1 |
| Cable outlet | straight |
| Screw connection | with |

Housing - HC-STA-D07-CHWS-1TGM25-PL-BK - 1419260

Technical data

General


| | |
|--|------------------------|
| Type of the screw connection | 1x M25 |
| Housing material | PA |
| Material lock | PA |
| Flammability rating according to UL 94 | V0 (Polyamide housing) |

Environmental Product Compliance

| | |
|------------|---|
| REACH SVHC | Lead 7439-92-1 |
| China RoHS | Environmentally Friendly Use Period = 50 |
| | For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration" |

Drawings

Dimensional drawing



Dimensional drawing

Approvals

Approvals

Approvals

EAC / GL

Ex Approvals

Approval details

| | | |
|-----|--|--------------------------|
| EAC | | RU C- DE.AI30.B.01102 |
|-----|--|--------------------------|

Housing - HC-STA-D07-CHWS-1TGM25-PL-BK - 1419260

Approvals

| | | | |
|----|---|---|------------|
| GL |  | http://exchange.dnv.com/tari/ | 6196614 HH |
|----|---|---|------------|

Phoenix Contact 2018 © - all rights reserved
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>