

## VC-TR4/5M-PEA

Order No.: 1607088

The illustration shows the version VC-TR 1/2 M-PEA



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1607088>

Sleeve frame, with PE connection to housing, for contact insert modules, type 4, number of insert modules: 5

### Commercial data

|                          |                    |
|--------------------------|--------------------|
| GTIN (EAN)               | 4 017918 940911    |
| sales group              | D211               |
| Pack                     | 5 pcs.             |
| Customs tariff           | 85389099           |
| Catalog page information | Page 465 (PC-2011) |

### Product notes

WEEE/RoHS-compliant since:  
03/02/2006



<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

### Technical data


#### General data

|                                 |                   |
|---------------------------------|-------------------|
| Design                          | VC4               |
| Height                          | 27.5 mm           |
| Width                           | 95.2 mm           |
| Color                           | black             |
| Ambient temperature (operation) | -40 °C ... 100 °C |


|                                    |       |
|------------------------------------|-------|
| Material                           | PA-GF |
| Inflammability class acc. to UL 94 | V0    |

### Diagrams/Drawings

#### Functional drawing



#### Dimensioned drawing



**Address**

PHOENIX CONTACT Deutschland GmbH  
Flachsmarktstr. 8  
32825 Blomberg, Germany  
Phone +49 5235 3 12000  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.de>



© 2011 Phoenix Contact  
Technical modifications reserved;