



Extract from the online catalog

HC-B 6-TFL-70/O1STM25S-EMV

Order No.: 1642292



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1642292>

HEAVYCON sleeve housing B6, for single locking latch, height 70 mm, with thread M20, lateral cable outlet, EMC version

Commercial data	
EAN	4046356028394
Pack	10 pcs.
Customs tariff	85369010
Weight/Piece	0.149 KG
Catalog page information	Page 518 (PC-2009)

Product notes

WEEE/RoHS-compliant since:
12/01/2005



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

General data


Note	For contact inserts HC-B6, BB10, DD24, M
------	--

HC-B 6-TFL-70/O1STM25S-EMV Order No.: 1642292
<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1642292>


Design	B6
Height	70 mm
Width	43 mm
Length	60 mm
Housing type	EMC housings
Locking type	for single locking latch
Type of the screw connection	1x M25
Cable exit	Lateral
Degree of protection	IP65
Ambient temperature (operation)	-40 °C ... 100 °C
Housing material	Aluminum, die-cast
Housing surface material	EMC coating, silver

Drawings

Diagram



Dimensioned drawing



HC-B 6-TFL-70/O1STM25S-EMV Order No.: 1642292
<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1642292>

Address

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 00
Fax +49 5235 3 41200
<http://www.phoenixcontact.de>



© 2009 Phoenix Contact
Technical modifications reserved;

onlinecomponents.com