


VS-SI-FP-DSUB9-DSUB25-GC-BU/ST

Order No.: 1657724

Illustration shows the product version VS-SI-FP-2RJ45-5-MOD-BU/BU

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1657724>Front plate with contact inserts, plastic, 1x D-SUB 9 and 1x D-SUB 25,
socket/pin

Commercial data

GTIN (EAN)	 4 046356 118361
sales group	D550
Pack	1 pcs.
Customs tariff	85366990
Catalog page information	Page 445 (PC-2011)

Product notes

WEEE/RoHS-compliant since:
04/25/2006

<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

Mechanical characteristics

Number of slots	2
Color	gray
Ambient temperature (operation)	-10 °C ... 60 °C

Material data

Inflammability class acc. to UL 94	V0
Housing material	PBT
Degree of protection	IP20

Electrical characteristics

Rated voltage (III/3)	125 V
Rated current	3 A

Accessories


Item	Designation	Description
------	-------------	-------------

General

1656660	VS-SI-BZ	Marker label, plastic, plate with 20 labels
---------	----------	---

Diagrams/Drawings

Dimensioned drawing



Front plate

Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2011 Phoenix Contact
Technical modifications reserved;