Extract from the online catalog

VC-AR3/4M

Order No.: 1852998

http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1852998

Panel mounting frame, without PE, for contact insert modules, type 3, number of insert modules 4

Commercial data	
GTIN (EAN)	4 017918 127220
sales group	D200
Pack	5 pcs.
Customs tariff	85389099
Catalog page information	Page 455 (PC-2011)

Product notes

WEEE/RoHS-compliant since: 01/01/2005

http://www.download.phoenixcontact.com Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

General data

Note	2 x 1852862 VC-AF for each connector
Ambient temperature (operation)	-40 °C ... 125 °C
Design	VC3

Material data

Inflammability class acc. to UL 94	V0

Certificates / Approvals

Certification	CUL, GOST, UL

Accessories

Item	Designation	Description
Assembly		
1852862	VC-AF	Panel mounting flange for screw locking, for mounting contact insert modules, for a panel thickness of 1 - 5 mm

Diagrams/Drawings

Dimensioned drawing





a - PCB



Address

PHOENIX CONTACT Deutschland GmbH
Flachsmarktstr. 8
32825 Blomberg,Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
http://www.phoenixcontact.de

© 2011 Phoenix Contact
Technical modifications reserved;