


RAD-CON-MCX90-N-SS

Order No.: 2885207

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2885207>

Adapter cable, pigtail 120 cm 90° MCX(m) -> N(m)

Commercial data

GTIN (EAN)	 4 017918 986513
sales group	H178
Pack	1 pcs.
Customs tariff	85442000
Catalog page information	Page 679 (IF-2011)

Product notesWEEE/RoHS-compliant since:
06/30/2006

<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data**General**

Connection 1	Plug connector connection
Connection method	Type 90° MCX (male)
Connection 2	Plug connector connection
Connection method	Type N (male)
Fixed cable length	1.2 m

Cable type	RG 316
Cable, attenuation	0.89 dB/m
Minimum bending radius	25.40 mm
External diameter	2.50 mm
Outer sheath, material	Fluorinated ethylene propylene (FEP)
Connection name	Plug connector connection
Connection method	Type 90° MCX (male)
Ambient temperature (operation)	-40 °C ... 75 °C

Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2011 Phoenix Contact
Technical modifications reserved;