

# Antenna cable - RAD-PIG-EF316-SMA-SMA - 2885618

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)


Adapter cable, 50 cm pigtail, SMA (male) -> SMA (male), 50 Ω impedance



## Your advantages

- As an adapter between devices and cables

## Key Commercial Data

Packing unit	1 pc
GTIN	 4 046356 049986
GTIN	4046356049986

## Technical data

### Dimensions

Fixed cable length	50 cm
External diameter	2.50 mm

### Ambient conditions

Ambient temperature (operation)	-40 °C ... 70 °C
Ambient temperature (storage/transport)	-40 °C ... 70 °C

### General

Connection 1	Connector connection
Connection method	SMA (male)
Connection 2	Connector connection
Connection method	SMA (male)
Cable type	EF 316
Outer sheath, material	RADOX®(LSFH)
External sheath, color	blue
Minimum bending radius	12.50 mm

# Antenna cable - RAD-PIG-EF316-SMA-SMA - 2885618

## Technical data

### General

Frequency range	900 MHz
	2.4 GHz
	5 GHz
Impedance	50 Ω

### Attenuation

868 / 900 MHz	0.6 dB
2.4 GHz	1 dB
5 GHz	1.4 dB

### Environmental Product Compliance

	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 25;
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

## Approvals

### Approvals

---

Approvals


EAC / EAC


---

Ex Approvals

---

### Approval details

EAC		EAC-Zulassung
-----	-------------------------------------------------------------------------------------	---------------

EAC		RU C- DE.A*30.B01735
-----	-------------------------------------------------------------------------------------	-------------------------

---

Phoenix Contact 2019 © - all rights reserved  
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG  
Flachmarktstr. 8  
32825 Blomberg  
Germany  
Tel. +49 5235 300  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>