

P-FU 5X20

Order No.: 3036806

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=3036806>

Fuse plug, Nominal current: 6.3 A, Nominal voltage: 500 V, Width: 6.2 mm, Fuse type: G / 5 x 20, Fuse type: Glass, Color: black

Commercial data

GTIN (EAN)	4017918943899
sales group	A699
Pack	10 pcs.
Customs tariff	85366990
Weight/Piece	0.00391 KG
Catalog page information	Page 17 (NTK-2010)

Product notes

WEEE/RoHS-compliant since:
01/01/2003



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Certificates / Approvals

Certification


CSA

CSA


Nominal voltage U_N	300 V
Nominal current I_N	10 A

Diagrams/Drawings

Application drawing



Fuse terminal blocks in interconnected arrangement, block consisting of 5 fuse terminal blocks



Fuse terminal block in single arrangement, block consisting of one fuse terminal block and 4 feed-through terminal blocks

Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2010 Phoenix Contact
Technical modifications reserved;