

## AI 95 -25 RD

Order No.: 3201853

The figure shows the version AI 1-6 RD

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=3201853>

Ferrule, Length: 44 mm, Color: red

### Commercial data

GTIN (EAN)	4017918156930
sales group	B250
Pack	25 pcs.
Customs tariff	85369010
Weight/Piece	0.00584 KG
Catalog page information	Page 662 (CL-2009)

### Product notes

WEEE/RoHS-compliant since:  
11/26/2005

<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

### Technical data

#### General

Length (b)	44 mm
Color	red
Material	E-CU
Sleeve length	25 mm
Inner dimension of the insulating collar (d)	18 mm

---

Ferrule diameter	14.7 mm
Insulating collar thickness	0.6 mm
Sleeve wall thickness	0.35 mm

### Certificates / Approvals




Certification

CSA, UCSA

### Diagrams/Drawings

Dimensioned drawing



**Address**

PHOENIX CONTACT Inc., USA  
586 Fulling Mill Road  
Middletown, PA 17057, USA  
Phone (800) 888-7388  
Fax (717) 944-1625  
<http://www.phoenixcon.com>



© 2010 Phoenix Contact  
Technical modifications reserved;