


## 1-1546670-8 Product Details



**1-1546670-8**

TE Internal Number: 1-1546670-8



[Active](#)



[View 3D PDF](#)

### Barrier Strips

 [Always EU RoHS/ELV Compliant \(Statement of Compliance\)](#)

#### Product Highlights:

- Barrier Strip
- Barrier Style = Double Row, Dual Barrier
- Block Style = Flat
- 11.10 mm Centerline
- Vertical Mount Angle

[View all Features](#)

### Documentation & Additional Information

#### Product Drawings:

- [DOUBLE ROW BARRIER STRIP W/ BINDING HD SCREW, .437 S...](#) (PDF, English)

#### Catalog Pages/Data Sheets:

- [1-1773458-2 BARRIER STRIPS QUICK REFERENCE GUIDE](#) (PDF, English)
- [BUCHANAN TERMINAL BLOCKS CATALOG - BARRIER STRIPS](#) (PDF, English)

#### Product Specifications:

- None Available

#### Application Specifications:

- None Available

#### Instruction Sheets:

- None Available

#### CAD Files: ([CAD Format & Compression Information](#))

- [2D Drawing](#) (DXF, Version L)
- [3D Model](#) (IGES, Version L)
- [3D Model](#) (STEP, Version L)

[List all Documents](#)

#### Additional Information:

- [Product Line Information](#)

#### Related Products:

- [Tooling](#)

### Product Features (Please use the Product Drawing for all design activity)

#### Product Type Features:

- [Product Type](#) = Barrier Strip
- [Mount Angle](#) = Vertical
- Screw Material = Steel
- Screw Size = 6-32 x 1/4
- Mounting Ears = With

#### Mechanical Attachment:

- Screw Plating = Nickel
- Mounting Style = Open End Position

#### Electrical Characteristics:

- [Top Hardware](#) = Wire Clamp Combo Head
- Number of Levels = Single
- Current Rating (A) = 25
- Mounting Insert = Without

#### Body Related Features:

- [Barrier Style](#) = Double Row, Dual Barrier
- [Block Style](#) = Flat
- [Centerline \(in \[mm\]\)](#) = 0.4375 [11.10]
- Number of Positions = 18
- Length (mm [in]) = 218.80 [8.610]
- Block Material = Thermoplastic
- Block Color = Black
- Wire Range (mm [AWG]) = 0.30-2.00<sup>2</sup> [22-14]

#### Contact Related Features:

- Mounting Options = End Mounting Ears

#### Industry Standards:

- [RoHS/ELV Compliance](#) = RoHS compliant, ELV compliant
- [Lead Free Solder Processes](#) = Wave solder capable to 240°C, Wave solder capable to 260°C, Wave solder capable to 265°C
- RoHS/ELV Compliance History = Always was RoHS compliant

#### Other:

- Brand = Buchanan
- Comment = Other options available upon request, consult our Product Information Center.