



+ RELAYS, CONTACTORS & SWITCHES
PUSHBUTTON SWITCHES



✓ Active

TE CONNECTIVITY (TE)
TPCF13C004
[Alcoswitch](#) | [TP](#)

2-1825098-0
TE Internal Number: 2-1825098-0
Alias ID: TPCF13C004

- [EU RoHS Compliant with Exemptions](#)
- [EU ELV Compliant with Exemptions](#)
- Configuration (Pole-Throw)** Single Pole - Single Throw
- Number of Actuators** Single
- Bushing Style** Threaded
- Bushing Thread Size** 10-48
- Illuminated** No

↓ **PRODUCT DRAWING**
English

↓ **3D PDF**

DOCUMENTATION

Product Drawings

PUSHBUTTON SWITCH, TPC SERIES
PDF
English

CAD Files

3D PDF
PDF
3D

Customer View Model
2D_DXF.ZIP
English

Customer View Model

3D_IGS.ZIP

English

Customer View Model

3D_STP.ZIP

English

FEATURES



Please review product documents or [contact us](#) for the latest agency approval information.

Please Note: Use the Product Drawing for all design activity.

Product Type Features

- Dust Proof No
- Illuminated No
- Actuator Style Flush Plunger
- Product Type Switch
- Switch Type Pushbutton

Configuration Features

- Panel Cutout Size (mm) 5 (Diameter)
- Configuration (Pole-Throw) Single Pole - Single Throw
- Number of Actuators Single
- Snap Action Without
- Support Bracket Without
- Tactile No
- Operating Function NO, Momentary
- Ganged No
- ESD Grounding Terminal Without

Electrical Characteristics

- Voltage Rating (VDC) 28
- Voltage Rating (VAC) 125

Body Features

- Case Material Polyester
- Bushing Style Threaded
- Bushing Thread Size 10-48
- Actuator Color Black
- Actuator Force 50 – 400 g [1.77 – 14.12 oz]
- Actuator Material Thermoplastic
- Seal Type Terminal Seal (Epoxy)
- Actuator Profile Flush

Contact Features

- Contact Current Rating (A) 1
- Contact Plating Silver
- Contact Base Material Silver Clad Copper

Termination Features

Termination Type Wire Lugs

Mechanical Attachment

Mounting Type Panel

Mounting Angle Vertical

Housing Features

Low Profile No

Process Sealed No

Dimensions

Button Width 3.81 mm [.15 in]

Actuator Length (in) 0

Usage Conditions

Temperature Rating High

Packaging Features

Packaging Method Bulk

Other

Comment No center terminal

PRODUCT COMPLIANCE



Statement of Compliance

Statement of Compliance

PDF