



Wire & Cable > Hook Up Wire



Cable Type: **FlexLite**
Operating Voltage: **600 V**
Wire & Cable Insulation Material: **Radiation-Crosslinked, Modified Polyalkene**
Conductor Material: **Tin-Plated Copper**
Wire Size: **23 AWG**

Features

Product Type Features

Cable Style	Primary, Stranded
-------------	-------------------

Configuration Features

Number of Conductors	1
Number of Strands	19

Electrical Characteristics

Resistance Rating Conditions (Max)	83.6 Ω/1000 ft @ 68°F
Operating Voltage	600 V

Body Features

Wire & Cable Insulation Material	Radiation-Crosslinked, Modified Polyalkene
Conductor Material	Tin-Plated Copper
Wire Color (Base)	White

Dimensions

Weight (Nominal)	2.96 kg/km
Outside Cable Diameter	.91 – 1.04 mm[.036 – .041 in]
Conductor Diameter Range	.55 – .63 mm[.022 – .025 in]
Strand Size	36 AWG
Wire Size	.25 mm²



Usage Conditions

Cable Type	FlexLite
Operating Temperature Range	-65 – 150 °C

Product Compliance


For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 650074-000
[D-436-36](#)


Customers Also Bought



TE Part #3-640443-3
03P MTA100 CONN ASSY GRN



TE Part #1488991-5
3POS, MCON 1.2 CB REC 2p TL SEALED



TE Part #87756-4
MOD IV RECP PLTD 15 SEL



TE Part #CV25362001
RW-175-E-1/16-X-STK



TE Part #1418844-3
MCON 1.2 CB REC SWS AG




TE Part #2046713001
FLT0111-0.50-2



TE Part #4478853001
FLT0111-0.35-6



TE Part #6469533001
FLT0111-0.25-5



TE Part #0989953001
FLT0111-0.25-4



TE Part #2780633001
FLT0111-1.00-2

Documents

Product Drawings

FLT0111-0.25-9

English

Datasheets & Catalog Pages

1654025_Sec9_FlexLite

English