



Sensors > Position Sensors > Potentiometer Sensors > Cable Actuated Position Sensors > Compact String Pot, User Select Output



Position Sensor Product Type: **SP Series, String Pots**

Full Stroke Range: 1270 mm [50 in]

Output Signal Type: 0 – 10 VDC, 4 – 20 mA

Accuracy: $\pm .25$ % of FS

Repeatability: .02 % of FS

[All Compact String Pot, User Select Output \(4\)](#)

Features

Product Type Features

Position Sensor Product Type	SP Series, String Pots
------------------------------	------------------------

Body Features

Case Material	Polycarbonate + Stainless Mounting Bracket
---------------	--

Dimensions

Full Stroke Range	1270 mm[50 in]
-------------------	----------------

Usage Conditions

Accuracy	$\pm .25$ % of FS
Operating Temperature Range	-18 – 71 °C[0 – 160 °F]

Operation/Application

Output Signal Type	0 – 10 VDC, 4 – 20 mA
--------------------	-----------------------

Industry Standards

IP Rating	IP50
Hazardous Area Approval	No

Other

Repeatability	.02 % of FS
---------------	-------------



Encoder Drive

No

Measuring Cable

Nylon-Coated Stainless Steel

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU

Compliant with Exemptions

EU ELV Directive 2000/53/EC

Not Yet Reviewed

China RoHS 2 Directive MIIT Order No 32, 2016

Restricted Materials Above Threshold

EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JUNE 2024 (241)
 Candidate List Declared Against: JAN 2023 (233)
 SVHC > Threshold:
 Pb (3% in Component a)
 Pb (.4% in Component b)

Article Safe Usage Statements:
 Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Halogen Content

Not Yet Reviewed for halogen content

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



Also in the Series | **MEAS SP**



Cable Actuated Position Sensors(22)

Customers Also Bought

TE Part #SGD-80-3
STRING POT, 80 INCH RANGE

TE Part #SP3-25
STRING POT 25 INCH RANGE

TE Part #SR1V-175
STRING POT, 175 INCH RANGE

TE Part #10215547-00
PT420-0005-H11-1130

TE Part #04-1006-0299
PT5MA-125-S47-FR-420E-M6M

TE Part #04-0981-0004
PT8420-0015-111-1110

TE Part #04-0979-0335
PT9420-0200-232-1110-8249A

TE Part #04-0979-5099
PT9420-0250-223-1510

TE Part #20023080-00
PT9DN-75ALN3452FR-250NRSC5:
CTO-11500000

TE Part #04-0989-5032
RT9420-0R50-221-1130

Documents

[CAD Files](#)

[3D PDF](#)

[3D](#)

[Customer View Model](#)

[ENG_CVM_CVM_SP3-50_1.2d_dxf.zip](#)

[English](#)

[Customer View Model](#)

[ENG_CVM_CVM_SP3-50_1.3d_igs.zip](#)



English

Customer View Model

[ENG_CVM_CVM_SP3-50_1.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[SP3](#)

English